

(FILE 'USPAT' ENTERED AT 08:35:18 ON 09 SEP 1999)

L1	0	S	(GRAPHIC USER) (W)INTERFACE# (10A) MASTER(W)FILE#
L2	1	S	(GRAPHIC OR USER) (W)INTERFACE# (10A) MASTER(W)FILE#
L3	58828	S	L1 OR REGISTRY
L4	26744	S	L2 OR REGISTRY
L5	0	S	L2 AND REGISTRY
L6	0	S	(GRAPHIC OR USER) (W)INTERFACE# (10A) MASTER(W)FILE# (P)
REG			
L7	0	S	(GRAPHIC OR USER) (W)INTERFACE# (10A) MASTER(W)FILE# (100
A)			
L8	0	S	MASTER (W) FILE# (P) SHELL(W)REGISTRY
L9	496	S	MASTER (W) FILE#
L10	0	S	SHELL(W)REGISTRY
L11	26743	S	REGISTRY
L12	15	S	L9 AND L11
L13	167571	S	NETWORK###
L14	7	S	L12 AND L13
L15	6	S	L12 AND (GRAPHIC OR USER) (W)INTERFACE#

File 344:Chinese Patents BS Apr 1985-2000/Jan
 (c) 2000 European Patent Office
 File 347:JAPIO Oct 1976-1999/Oct(UPDATED 000208)
 (c) 2000 JPO & JAPIO
 File 351:DERWENT WPI 1963-2000/UD=, UM=, & UP=200010
 (c) 2000 Derwent Info Ltd
 File 371:French Patents 1961-2000/BOPI 0008
 (c) 2000 INPI. All rts. reserv.

Set	Items	Description
S1	20	AU="BERRY J"
S2	13	AU="BERRY J R"
S3	12	AU="DAY R"
S4	5	AU="DAY R F"
S5	0	AU=FLO E?
S6	22	AU="MATTHEWS J"
S7	28	AU="MATTHEWS J H"
S8	57	AU="TURNER R"
S9	18	AU="TURNER R S"
S10	1	AU="TURNER RICHARD S"
S11	176	S1:S10
S12	0	S11 AND DEFAULT?
S13	4	S11 AND (FOLDER? OR DIRECTOR? OR CONTAINER?)
S14	10	DEFAULT?(2N) (FOLDER? OR DIRECTOR? OR CONTAINER?)
S15	6323	(FILE? OR DOCUMENT?) (3N) (CHECK? OR CHEQUE? OR FIND? OR EXAMIN? OR LOOK? OR APPRIS? OR DISCERN? OR LOCAT? OR DISCRIMIN? OR EVALUAT? OR DETERMIN?)
S16	8007	(FILE? OR DOCUMENT?) (3N) (TYPE? OR ASCERTAIN? OR ASSESS? OR DEDUC? OR VERIF? OR ANALY??? ? OR ANALYT? OR DET? ? OR JUDG? - OR RECOGNI? OR CONFIRM?)
S17	16263	(FILE? OR DOCUMENT?) (3N) (EXTENSION? OR MARK? OR IDENTIF? OR DESIGNAT? OR SPECIF? OR SELECT? OR ASSIGN? OR PICK? OR INDICAT? OR INSPECT?)
S18	0	S14 AND (S15 OR S16)
S19	1	S14 AND S17

?t s19/5/1

520 9 S14 NOT S19

19/5/1 (Item 1 from file: 351)

DIALOG(R)File 351:DERWENT WPI

(c) 2000 Derwent Info Ltd. All rts. reserv.

012030505 **Image available**

WPI Acc No: 98-447415/199838

Related WPI Acc No: 98-447430; 98-447570

XRPX Acc No: N98-348711

File identification and classification technique for data back-up system - has database with list including at least one set of files and back-up routine and with second list which excludes obtained files from first list

Patent Assignee: CONNECTED CORP (CONN-N)

Inventor: CANE D; HIRSCHMAN D; SPEARE P; VAITZBLIT L

Number of Countries: 023 Number of Patents: 003

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Main IPC	Week
WO 9835285	A2	19980813	WO 98US2416	A	19980210	G06F-000/00	199838 B
AU 9861510	A	19980826	AU 9861510	A	19980210	G06F-019/00	199902
US 5940507	A	19990817	US 9737597	A	19970211	H04L-009/00	199939
			US 9814830	A	19980128		

Priority Applications (No Type Date): US 97984015 A 19971203; US 9737597 A 19970211; US 9814830 A 19980128

Patent Details:

Patent	Kind	Lan	Pg	Filing	Notes	Application	Patent
--------	------	-----	----	--------	-------	-------------	--------

WO 9835285	A2	E	17				
------------	----	---	----	--	--	--	--

Designated States (National): AU CA JP NO NZ

Designated States (Regional): AT BE CH DE DK ES FI FR GB GR IE IT LU MC

NL PT SE

AU 9861510 A

Based on

WO 9835285

Abstract (Basic): WO 9835285 A

The system includes a database with a list that indicates at least a first set of files. A backup routine excludes each file in the first set of files from backup operations so that no archival copy of such files in the first set of files is stored on the second storage media. User generated files can be distinguished from non-user generated files.

The files in the first set are non-user generated files. The list includes at least one record of a **default directory** associated with a known software program. Every file in the **default directory** is excluded from backup operations. A portion of the files in the **default directory** is excluded from backup operations in accordance with at least one exclusion rule.

ADVANTAGE - Reduces amount of computing effort required to perform backup operation.

Dwg.1/3

Title Terms: FILE; IDENTIFY; CLASSIFY; TECHNIQUE; DATA; BACK; UP; SYSTEM; DATABASE; LIST; ONE; SET; FILE; BACK; UP; ROUTINE; SECOND; LIST; EXCLUDE; OBTAIN; FILE; FIRST; LIST

Derwent Class: T01

International Patent Class (Main): G06F-000/00; G06F-019/00; H04L-009/00

File Segment: EPI

13/6/1 (Item 1 from file: 351)

printed on next page

011960219

WPI Acc No: 98-377129/199832

Title Terms: **CONTAINER** ; FUNCTION; METHOD; COMPUTER; CANCEL; EVENT; ACCORD
; STATUS; INDICATE; INDICATE; EVENT; CANCEL; STATE; RECEIVE; EVENT;
HANDLE

13/6/2 (Item 2 from file: 351)

printed on next page

011558853 **Image available**

WPI Acc No: 97-535334/199749

Title Terms: MANAGEMENT; PROGRAM; **CONTAINER** ; IMPROVE; STORAGE; MECHANISM;
COMPUTER; SYSTEM; **CONTAINER** ; STORAGE; OBJECT; LINK; OBJECT; **CONTAINER**
; FUNCTION; **CONTAINER** ; EXTEND; THROUGH; COMMAND; UNIT

13/6/3 (Item 3 from file: 351)

011320322 **Image available**

WPI Acc No: 97-298226/199727

Title Terms: IDENTIFY; INDIVIDUAL; NUCLEIC; ACID; DNA; COLLECT; DNA; SAMPLE
; CHEEK; SUBJECT; COLLECT; DEVICE; HANDLE; STORAGE; COMPONENT; HOUSE;
CONTAINER

13/6/4 (Item 4 from file: 351)

002273037

WPI Acc No: 79-72247B/197940

Title Terms: PARENTERAL; FLUID; ADMINISTER; SET; AUTOMATIC; PURGE; FILL;
TUBE; **CONTAINER** ; NEEDLE; ADAPT

?ds

13/5/1 (Item 1 from file: 351)
DIALOG(R) File 351:DERWENT WPI
(c) 2000 Derwent Info Ltd. All rts. reserv.

011960219

WPI Acc No: 98-377129/199832

Related WPI Acc No: 97-535334

XRPX Acc No: N98-294952

Container functionality customization method in computer - involves
cancelling event according to status indication indicating event
cancellation state received from event handler

Patent Assignee: MICROSOFT CORP (MICR-N)

Inventor: DAY R F ; FLEMING B T; LUDWIG S R; MCCAULEY D E; MIKSOVSKY J T;

REMINGTON D B; TIPPETT J M

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Main IPC	Week
US 5771384	A	19980623	US 94237357	A	19940502	G06F-009/44	199832 B
			US 97799960	A	19970212		

Priority Applications (No Type Date): US 94237357 A 19940502; US 97799960 A
19970212

Patent Details:

Patent	Kind	Lan	Pg	Filing Notes	Application	Patent
US 5771384	A		24	Cont of	US 94237357	
				Cont of		US 5682532

Abstract (Basic): US 5771384 A

The method involves receiving an indication of an event handler containing code to be executed upon event occurrence. The event handler is invoked such that it executes code of the event handler and determines whether the event shall be cancelled.

A status indication indicating whether the event should get cancelled, is received from the event handler. The event is cancelled according to the received indication.

ADVANTAGE - Extends functionality of container . Offers replaceable container .

Dwg.0/0

Title Terms: CONTAINER ; FUNCTION; METHOD; COMPUTER; CANCEL; EVENT; ACCORD ; STATUS; INDICATE; INDICATE; EVENT; CANCEL; STATE; RECEIVE; EVENT; HANDLE

Derwent Class: T01

International Patent Class (Main): G06F-009/44

File Segment: EPI

13/5/2 (Item 2 from file: 351)
DIALOG(R) File 351:DERWENT WPI
(c) 2000 Derwent Info Ltd. All rts. reserv.

011558853 **Image available**

WPI Acc No: 97-535334/199749

Related WPI Acc No: 98-377129

XRPX Acc No: N97-445751

Management of programmable container having improved storage mechanism for computer system - using container for storing objects, links to objects, and other containers, and functionality of container is extendible through use of command unit

Patent Assignee: MICROSOFT CORP (MICR-N)

Inventor: DAY R F ; FLEMING B T; LUDWIG S R; MCCAULEY D E; MIKSOVSKY J T;

REMINGTON D B; TIPPETT J M

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Main IPC	Week
US 5682532	A	19971028	US 94237357	A	19940502	G06F-013/00	199749 B

Priority Applications (No Type Date): US 94237357 A 19940502

Patent Details:

The method in a computer system modifies the functionality of a **container**, the **container** for performing the functionality through invocation of functions and for generating events upon the invocation of the functions, the functionality for maintaining a logical grouping of information. The computer system has a command unit containing event handlers for processing events, a first event handler for determining whether to allow a requested invocation of a selected one of the functions to be performed, a second event handler for selectively overriding the requested invocation of the selected function, and a third event handler for notifying the command unit of completion of the requested invocation of the selected function. The method comprises the computer-implemented steps of, in response to a request from the command unit, registering the event handlers. The event handlers are registered with the **container**. A request is received by the **container** for invocation of the selected function. The first event handler is invoked in response to receiving the request for invocation of the selected function. When the first event handler returns with an indication that the requested invocation of the selected function is not to be performed and returns from the selected function without completing the functionality.

When the first event handler returns with an indication that the requested invocation of the selected function is to be performed, the second event handler is invoked. When the second event handler returns with an indication that requested invocation of the selected function has not been overridden, the functionality of the selected function is performed. The third event handler is invoked to notify the command unit of the completion of the functionality.

ADVANTAGE - Object-oriented techniques facilitate sharing of objects.

Dwg.5/11

Title Terms: MANAGEMENT; PROGRAM; **CONTAINER** ; IMPROVE; STORAGE; MECHANISM; COMPUTER; SYSTEM; **CONTAINER** ; STORAGE; OBJECT; LINK; OBJECT; **CONTAINER** ; FUNCTION; **CONTAINER** ; EXTEND; THROUGH; COMMAND; UNIT

Derwent Class: T01

International Patent Class (Main): G06F-013/00

International Patent Class (Additional): G06F-015/40

File Segment: EPI

20/TI/1 (Item 1 from file: 347)
DIALOG(R)File 347:(c) 2000 JPO & JAPIO. All rts. reserv.

NETWORK SYSTEM

20/TI/2 (Item 2 from file: 347)
DIALOG(R)File 347:(c) 2000 JPO & JAPIO. All rts. reserv.

GUIDANCE SYSTEM FOR INPUT OF COMMAND

20/TI/3 (Item 3 from file: 347)
DIALOG(R)File 347:(c) 2000 JPO & JAPIO. All rts. reserv.

MEDICAL PICTURE FILING DEVICE

20/TI/4 (Item 1 from file: 351)
DIALOG(R)File 351:(c) 2000 Derwent Info Ltd. All rts. reserv.

Coin pusher type amusement machine - has controller which receives signals from user detector and coin fall detector to control switching of coin director alternatively between open first mode and closed second mode

20/TI/5 (Item 2 from file: 351)
DIALOG(R)File 351:(c) 2000 Derwent Info Ltd. All rts. reserv.

Associating phone directories with cellular numbers - involves using phone with multiple number assignments and phone books and linking phone books with number assignments

20/TI/6 (Item 3 from file: 351)
DIALOG(R)File 351:(c) 2000 Derwent Info Ltd. All rts. reserv.

Application program environment setting system for multi-user operating system - includes parameter management unit that fetches default parameters stored in parameter directory and transfers default parameter to application program

20/TI/7 (Item 4 from file: 351)
DIALOG(R)File 351:(c) 2000 Derwent Info Ltd. All rts. reserv.

Computer system with processor and memory for interaction with user - has log in command identifying user with default place object displayed based on stored profile information to define workspace with shelf for temporary storage

20/TI/8 (Item 5 from file: 351) *printed on Next page*
DIALOG(R)File 351:(c) 2000 Derwent Info Ltd. All rts. reserv.

Computing method used for running object management facility - involves placing data files into default directory, searching directory for files created or modified while application was open and creating new object for files not linked

20/TI/9 (Item 6 from file: 351)
DIALOG(R)File 351:(c) 2000 Derwent Info Ltd. All rts. reserv.

Information updating in translation look-aside buffer - associated physical memory page number with virtual page number and inserting information into buffer responsive to software command

20/5/8 (Item 5 from File: 351)
DIALOG(R) File 351:DERWENT WPI
(c) 2000 Derwent Info Ltd. All rts. reserv.

010114640 **Image available**
WPI Acc No: 95-015891/199503
Related WPI Acc No: 90-211465; 95-015888
XRPX Acc No: N95-012521

Computing method used for running object management facility - involves placing data files into default directory, searching directory for files created or modified while application was open and creating new object for files not linked

Patent Assignee: HEWLETT-PACKARD CO (HEWP)
Inventor: CROW W M; EHRLICH Y
Number of Countries: 008 Number of Patents: 002
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Main IPC	Week
EP 628907	A2	19941214	EP 89313317	A	19891220	G06F-009/44	199503 B
			EP 94114329	A	19891220		
EP 628907	A3	19960124	EP 89313317	A	19891220		199621
			EP 94114329	A	19891220	B	

Priority Applications (No Type Date): US 88292610 A 19881230
Cited Patents: No-SR.Pub; 3.Jnl.Ref

Patent Details:

Patent	Kind	Lan	Pg	Filing Notes	Application	Patent
EP 628907	A2	E	174	Related to	EP 89313317	
				Designated States (Regional):	BE CH DE FR GB IT LI NL	
EP 628907	A3			Div ex	EP 89313317	

Abstract (Basic): EP 628907 A

The method involves placing data files (849) generated by the first application into a **default directory**. Upon closing the first application, the **default directory** is searched for files created or modified while the first application was open. For every created or modified file found which is not already linked to an object, a new object referencing the first application is created and the new object is linked to the file.

For every created or modified file found which is already linked to an object, if the object is currently active, a message is sent to the object indicating the created or modified file has changed.

ADVANTAGE - Allows for free communication between all active objects.

Dwg.1/145

Title Terms: COMPUTATION; METHOD; RUN; OBJECT; MANAGEMENT; FACILITY; PLACE; DATA; FILE; DEFAULT; DIRECTORY; SEARCH; DIRECTORY; FILE; MODIFIED; APPLY; OPEN; NEW; OBJECT; FILE; LINK

Derwent Class: T01

International Patent Class (Main): G06F-009/44

International Patent Class (Additional): G06F-003/00; G06F-015/20

File Segment: EPI

?

?show files;ds

File 2:INSPEC 1969-2000/Jan W4
(c) 2000 Institution of Electrical Engineers
File 6:NTIS 64-2000/Mar W3
Comp&dist 1998 NTIS, Intl Copyright All Righ
File 8:Ei Compendex(R) 1970-2000/Feb W1
(c) 2000 Engineering Info. Inc.
File 34:SciSearch(R) Cited Ref Sci 1990-2000/Feb W3
(c) 2000 Inst for Sci Info
File 35:DISSERTATION ABSTRACTS ONLINE 1861-1999/DEC
(c) 2000 UMI
File 65:Inside Conferences 1993-2000/Apr W5
(c) 2000 BLDSC all rts. reserv.
File 77:CONFERENCE PAPERS INDEX 1973-2000/JAN
(c) 2000 CAMBRIDGE SCI ABS
File 94:JICST-EPlus 1985-2000/Nov W1
(c)2000 Japan Science and Tech Corp(JST)
File 99:Wilson Appl. Sci & Tech Abs 1983-2000/Jan
(c) 2000 The HW Wilson Co.
File 144:Pascal 1973-2000/Feb
(c) 2000 INIST/CNRS
File 202:Information Science Abs. 1966-2000/Jan
(c) Information Today, Inc
File 233:Internet & Personal Comp. Abs. 1981-2000/Feb
(c) 2000 INFO. TODAY INC.
File 238:Abs. in New Tech & Eng. 1981-2000/Feb
(c) 2000 Reed-Elsevier (UK) Ltd.
File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
(c) 1998 Inst for Sci Info

Set	Items	Description
S1	4	DEFAULT?(2N)(FOLDER? OR CONTAINER?)
S2	30	DEFAULT?(2N)(DIRECTOR?)
S3	0	S1 AND (FILE? OR DOCUMENT?)
S4	17	S2 AND (FILE? OR DOCUMENT?)
S5	25715	(FILE? OR DOCUMENT?)(3N)(CHECK? OR CHEQUE? OR FIND? OR EXA- MIN? OR LOOK? OR APPRIS? OR DISCERN? OR LOCAT? OR DISCRIMIN? - OR EVALUAT? OR DETERMIN?)
S6	35745	(FILE? OR DOCUMENT?)(3N)(TYPE? OR ASCERTAIN? OR ASSESS? OR DEDUC? OR VERIF? OR ANALY??? ? OR ANALYT? OR JUDG? OR RECOGNI? OR CONFIRM?)
S7	2	S4 AND (S5 OR S6)
S8	2	RD (unique items)

?t s8/7/2

8/7/2 (Item 1 from file: 233)

DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2000 INFO. TODAY INC. All rts. reserv.

00489470 98PI03-088

Setup Wizard

Sipe, Steven E

PC Magazine , March 10, 1998 , v17 n5 p242-244, 2 Page(s)

ISSN: 0888-8507

Company Name: Sax Software

URL: <http://www.saxsoft.com>

Product Name: Setup Wizard 2.0

Presents a favorable review of Setup Wizard 2.0 (\$149), an installation program from Sax Software Corp., Eugene, OR (800). The program is simple and easy to use. It presents project options in a list and users can change or add new options through toolbar buttons or menu items. A Project Wizard guides the user through generating the project. It allows setting the program title, **default directory**, and list of **files**. It can also scan executable **files** and **determine** which external DLLs and OCXs the **file** requires. Project options can be selected manually in the project option list and new options can be added. Once options are configured a Disk Wizard aids in generating distribution media which include floppy disks, CD-ROM, and e-mail. The program is a good performer which does not offer a

lot of advanced configuration options, but its advanced features are welcome. It is a good basic package at a low price. Includes one screen display. (djd)
?t s8/7/1

8/7/1 (Item 1 from file: 8)
DIALOG(R)File 8:EI Compendex(R)
(c) 2000 Engineering Info. Inc. All rts. reserv.

01969341 E.I. Monthly No: EI8605037795 E.I. Yearly No: EI86030741
Title: GENERATION OF 'USER SPECIFIED' DOS FULLY QUALIFIED FILE
SPECIFICATION.

Author: Anon

Source: IBM Technical Disclosure Bulletin v 28 n 9 Feb 1986 p 4199-4201

Publication Year: 1986

CODEN: IBMTAA ISSN: 0018-8689

Language: ENGLISH

Document Type: JA; (Journal Article) Treatment: A; (Applications)

Journal Announcement: 8605

Abstract: On DisplayWrite 2, the dictionary program name is stored in the system hardware profile. The data set represented by this program name contains the spelling dictionary words that will be used during spell checking. The dictionary program name is displayed in the 'Change Spelling Dictionary Name' and 'Change Check Document' menus. The dictionary program dataset always resides in the default program dataset directory

?

1/3,K/1 (Item 1 from file: 6)
DIALOG(R)File 6:NTIS
Comp&distr 1998 NTIS, Intl Copyright All Righ. All rts. reserv.

1091322 NTIS Accession Number: DE83048594

ARC-XSEC1; Microscopic Cross Section Manipulation

(Software,)

Kovalsky, E. A. ; Zapatka, J. ; Henryson, H. ; Hoover, J. ; Walker, P. M.
Argonne National Lab., IL.

Corp. Source Codes: 001960000; 0448000

Sponsor: Department of Energy, Washington, DC.

Report No.: ANL/NESC-594

1984 mag tape

Languages: English

Journal Announcement: GRAI8409

U.S. Sales Only. Price includes documentation. Tapes can be prepared in most recording modes for one-half inch tape. Specify recording mode desired. Call NTIS Computer Products if you have questions.

NTIS Prices: CP T13

... of the Argonne Reactor Computation (ARC) System. (ERA citation 08:026148)...Software Description: IBM360; FORTRAN IV; OS/360; 300K bytes with a 10,000 doubleword **container** (**default**) and 2 peripheral I/O devices.

1/3,K/2 (Item 2 from file: 6)
DIALOG(R)File 6:NTIS
Comp&distr 1998 NTIS, Intl Copyright All Righ. All rts. reserv.

1089409 NTIS Accession Number: DE83048533

ARC-NUI002 BCD Input Processor; BCD Input Data Processing Module

(Software,)

Kovalsky, E. A. ; Toppel, B. J.

Argonne National Lab., IL.

Corp. Source Codes: 001960000; 0448000

Sponsor: Department of Energy, Washington, DC.

Report No.: ANL/NESC-533

1984 mag tape

Languages: English

Journal Announcement: GRAI8408

U.S. Sales Only. Price includes documentation. Tapes can be prepared in most recording modes for one-half inch tape. Specify recording mode desired. Call NTIS Computer Products if you have questions.

NTIS Prices: CP T14

... 08:020549)...Software Description: IBM360/50 and larger models; FORTRAN IV; OS/360 MVT; About 255K bytes are required with a 10,000 double-word **container** **default**). One peripheral I/O device is required.

1/3,K/3 (Item 1 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2000 INFO. TODAY INC. All rts. reserv.

00489612 98IW03-018

Solid basic client is born to work offline, and it's free; Microsoft Internet Explorer 4.01

Symoens, Jeff

InfoWorld , March 2, 1998 , v20 n9 p120, 1 Page(s)

ISSN: 0199-6649

Company Name: Microsoft

URL: <http://www.microsoft.com>

Product Name: Microsoft Internet Explorer 4.01; Microsoft Outlook Express

... that Outlook Express does not support synchronization, searching or filtering, and says that when adding a new IMAP4 mail account, it only

downloads the inbox folder by default . Includes one screen display.

1/3,K/4 (Item 2 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2000 INFO. TODAY INC. All rts. reserv.

00315663 93PM06-013

PackRat 5.0 isn't just a PIM, it's a complete app builder

Burgard, Michael

PC/Computing , June 1, 1993 , v6 n6 p76, 1 Page(s)

ISSN: 0899-1847

Company Name: Polaris Software

Product Name: PackRat

... CA (800). The program, upon installation, launches a SmartStart feature which asks the user questions about his profession and how he works, then builds a **default** set of **folders** and objects. Objects can be resized and moved to customize the screen's appearance, and applications that are used with a particular project can be...

?

Set	Items	Description
S1	0	AU=BERRY JON?
S2	3	AU="DAY ROBERT"
S3	1	AU="DAY ROBERT F"
S4	0	AU=FLO E?
S5	1	AU="MATTHEWS JOSEPH"
S6	1	AU="MATTHEWS JOSEPH HOWARD III"
S7	1	AU="TURNER RICHARD"
S8	3	AU="TURNER RICHARD S":AU="TURNER RICHARD S C O EASTMAN KOD- AK COMPANY"
S9	10	S1:S8
S10	0	S9 AND DEFAULT?
S11	0	S9 AND (FOLDER? OR DIRECTOR? OR CONTAINER?)
S12	9	DEFAULT?(2N) (FOLDER? OR CONTAINER?)
S13	56	DEFAULT?(2N)DIRECTOR?
S14	9	S12 AND (FILE? OR DOCUMENT?)
S15	8886	(FILE? OR DOCUMENT?)(3N)(CHECK? OR CHEQUE? OR FIND? OR EXA- MIN? OR LOOK? OR APPRIS? OR DISCERN? OR LOCAT? OR DISCRIMIN? - OR EVALUAT? OR DETERMIN?)
S16	8609	(FILE? OR DOCUMENT?)(3N)(TYPE? OR ASCERTAIN? OR ASSESS? OR DEDUC? OR VERIF? OR ANALY??? ? OR ANALYT? OR DET? ? OR JUDG? - OR RECOGNI? OR CONFIRM?)
S17	4	S14(S) (S15 OR S16)

?t s17/5/all

17/5/1

DIALOG(R)File 348:European Patents
(c) 2000 European Patent Office. All rts. reserv.

01098005

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

Method for transmitting asynchronous data in a home network

Verfahren zur Übertragung von asynchronen Daten in einem Hausnetzwerk

Procede de transmission de donnees asynchrones dans un reseau domotique

PATENT ASSIGNEE:

THOMSON multimedia, (1090174), 46 Quai Alphonse Le Gallo, 92100 Boulogne
Billancourt, (FR), (Applicant designated States: all)

INVENTOR:

Bichot, Guillaume, Thomson multimedia, 46 quai Alphonse Le Gallo, 92648
Boulogne Cedex, (FR)

Straub, Gilles, Thomson multimedia, 46 quai Alphonse Le Gallo, 92648
Boulogne Cedex, (FR)

Fannechere, Nicolas, Thomson multimedia, 46 quai Alphonse Le Gallo, 92648
Boulogne Cedex, (FR)

LEGAL REPRESENTATIVE:

Ruellan-Lemonnier, Brigitte et al (47341), THOMSON multimedia, 46 quai A.
Le Gallo, 92648 Boulogne Cedex, (FR)

PATENT (CC, No, Kind, Date): EP 964559 A1 991215 (Basic)

APPLICATION (CC, No, Date): EP 98402712 981030;

PRIORITY (CC, No, Date): EP 98402384 980928; EP 98401372 980608

DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
LU; MC; NL; PT; SE

EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI

INTERNATIONAL PATENT CLASS: H04L-029/06; H04L-012/28

ABSTRACT EP 964559 A1

The invention concerns a method for transmitting data in a home
communication network.

The network comprises a first device and a second device, wherein said
first device includes means to produce a data packet and said second
device includes means to use said data packet.

The inventive method is characterised in that it comprises the steps
of:

- opening a connection between said first device and said second device;
- having said second device allocate a message buffer to said connection,

said second device communicating the message buffer size to said first device;

- having said first device transmit said data packet to said second device, wherein said data packet is split and sent as payload in messages, where the size of the payloads is smaller or equal to said message buffer size.

The invention applies to home network communications.

ABSTRACT WORD COUNT: 141

NOTE:

Figure number on first page: 6

LEGAL STATUS (Type, Pub Date, Kind, Text):

Application: 991215 A1 Published application with search report

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	9950	326
SPEC A	(English)	9950	4088
Total word count - document A			4414
Total word count - document B			0
Total word count - documents A + B			4414

17/5/2

DIALOG(R)File 348:European Patents

(c) 2000 European Patent Office. All rts. reserv.

01085283

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

Method and apparatus for high performance access to data in a message store

Verfahren und Vorrichtung zum Hochleistungszugriff auf Daten in einem Nachrichtenspeicher

Procede et dispositif pour acces a haute performance aux donnees dans une messagerie

PATENT ASSIGNEE:

SUN MICROSYSTEMS, INC., (1392733), 901 San Antonio Road, Palo Alto, California 94303, (US), (Applicant designated States: all)

INVENTOR:

Yeager, William J., 620 Berkeley Avenue, Menlo Park, CA 94025, (US)

Batty, Frederic C., 115 Orchard Avenue, Redwood City, CA 94061, (US)

LEGAL REPRESENTATIVE:

Browne, Robin Forsythe, Dr. (55142), Urquhart-Dykes & Lord Tower House Merrion Way, Leeds LS2 8PA West Yorkshire, (GB)

PATENT (CC, No, Kind, Date): EP 953907 A2 991103 (Basic)

APPLICATION (CC, No, Date): EP 99303212 990426;

PRIORITY (CC, No, Date): US 67497 980427

DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE

EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI

INTERNATIONAL PATENT CLASS: G06F-009/46

ABSTRACT EP 953907 A2

A method and apparatus are disclosed for accessing messages in a message store in a multi-threaded system with reduced contention by first determining whether a process is available for accepting a new connection and responsibility for that connection is transferred to that process, which includes one or more threads. One thread is selected and initialized which then manages client requests for accessing messages or data in the message store. The thread is terminated when a termination request is received or when a predetermined condition has been met. Also provided is a computer system for accessing messages in a message store in a multi-threaded environment with reduced contention. Clients are connected to a connection request router that contains a parent process for routing client requests for manipulating data. Also included are request handlers associated with the request router where the request handlers include a multiplicity of active connection threads. A shared memory area associated with the request router contains request handler identifiers, thread identifiers, and other activity information that can

be shared by the request handlers and their associated request router.

ABSTRACT WORD COUNT: 181

NOTE:

Figure number on first page: 1

LEGAL STATUS (Type, Pub Date, Kind, Text):

Application: 991103 A2 Published application without search report
LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
----------------	----------	--------	------------

CLAIMS A	(English)	9944	1979
----------	-----------	------	------

SPEC A	(English)	9944	9207
--------	-----------	------	------

Total word count - document A	11186
-------------------------------	-------

Total word count - document B	0
-------------------------------	---

Total word count - documents A + B	11186
------------------------------------	-------

17/5/3

DIALOG(R) File 348:European Patents

(c) 2000 European Patent Office. All rts. reserv.

00551410

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

System and method for computer aided software engineering.

System und Verfahren fur rechnerunterstutzte Software-Entwicklung.

Systeme et procede pour le genie logiciel assiste par ordinateur.

PATENT ASSIGNEE:

International Business Machines Corporation, (200120), Old Orchard Road,
Armonk, N.Y. 10504, (US), (applicant designated states: DE;FR;GB;IT)

INVENTOR:

Chang, Roger A., 4106 Stagecoach Trail, Irving, TX 75061, (US)

Smith, Andrew J., 101 Oakmont Drive, Trophy Club, TX 76262, (US)

Torres, Robert J., 6100 Meadowhill Drive, Colleyville, TX 76034, (US)

LEGAL REPRESENTATIVE:

de Pena, Alain (15151), Compagnie IBM France Departement de Propriete
Intellectuelle, F-06610 La Gaude, (FR)

PATENT (CC, No, Kind, Date): EP 549510 A2 930630 (Basic)
EP 549510 A3 931222

APPLICATION (CC, No, Date): EP 92480183 921130;

PRIORITY (CC, No, Date): US 811775 911220

DESIGNATED STATES: DE; FR; GB; IT

INTERNATIONAL PATENT CLASS: G06F-009/44;

CITED PATENTS (EP A): EP 319232 A; EP 319232 A

CITED REFERENCES (EP A):

SPRING COMPCON 89, 34TH IEEE COMPUTER SOCIETY INTERNATIONAL CONFERENCE,
DIGEST OF PAPERS. 27 February 1989, SAN FRANCISCO, CA, US pages 232 -
235 W. SCACCHI 'ENGINEERING LARGE-SCALE SOFTWARE SYSTEMS: AN
ORGANIZATIONAL KNOWLEDGE BASE APPROACH'

IDEM

DATABASE WPI Section EI, Week 1089, Derwent Publications Ltd., London,
GB; Class T01, AN 89-074962

IBM TECHNICAL DISCLOSURE BULLETIN. vol. 33, no. 6B, November 1990,
ARMONK, NY, US pages 114 - 117 'DEVELOPER'S DESKTOP'

IBM TECHNICAL DISCLOSURE BULLETIN. vol. 32, no. 9A, February 1990,
ARMONK, NY, US pages 250 - 254 'PROJECT MANAGEMENT ENVIRONMENT';

ABSTRACT EP 549510 A2

A data processing system supports preparation of a software application by coordinating the efforts of a metaprogrammer and a plurality of system users responsible to the metaprogrammer. The data processing system includes a plurality of workstations, each having a display and a user input device. Each of the workstations is connected to shared memory for access to data objects stored therein. One data object is a blank project container which includes a plurality of subject objects relating to phases in a product life for a software application. The metaprogrammer is authorized to replicate a blank project container to provide a project specified container available in shared memory to system users selected to work on a particular software application. The project specific

container includes a plurality of subject objects relating to phases in a product life for the software application package. In addition, the project specified container includes a directory to templates for use in creating standard software modules and functions selected for use in generating code for storage in data objects. Data objects are stored in memory categorized within subject objects of the project container. An index is generated as data objects are created. Such an index is located with each subobject with each subject object. Lastly, private instances of the project container are generated relating to users. Each private instance includes a subset of the objects within the project container, selected on the basis of usefulness to the tasks assigned to this particular user. (see image in original document)

ABSTRACT WORD COUNT: 253

LEGAL STATUS (Type, Pub Date, Kind, Text):

Application: 930630 A2 Published application (Alwith Search Report
;A2without Search Report)
Search Report: 931222 A3 Separate publication of the European or
International search report
Examination: 931222 A2 Date of filing of request for examination:
931021
Withdrawal: 961204 A2 Date on which the European patent application
was withdrawn: 961015

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	EPABF1	1412
SPEC A	(English)	EPABF1	5263
Total word count - document A			6675
Total word count - document B			0
Total word count - documents A + B			6675

17/5/4

DIALOG(R)File 348:European Patents

(c) 2000 European Patent Office. All rts. reserv.

00551324

ORDER fax of complete patent from Dialog SourceOne. See HELP ORDER 348

Container object management system

System zur Verwaltung von "Behalter" Datenobjekten

Systeme de gestion d'objets "recipients"

PATENT ASSIGNEE:

International Business Machines Corporation, (200120), Old Orchard Road,
Armonk, N.Y. 10504, (US), (Proprietor designated states: all)

INVENTOR:

Miller, Patrice R., 986 Quail Ridge, Keller, Texas 76248, (US)

Miller, Wade A., 986 Quail Ridge, Keller, Texas 76248, (US)

Rayborn, John K., 5631 Southwestern Boulevard, Dallas, Texas 75209, (US)

LEGAL REPRESENTATIVE:

de Pena, Alain (15151), Compagnie IBM France Departement de Propriete
Intellectuelle, 06610 La Gaude, (FR)

PATENT (CC, No, Kind, Date): EP 520924 A2 921230 (Basic)
EP 520924 A3 930908
EP 520924 B1 991117

APPLICATION (CC, No, Date): EP 92480078 920603;

PRIORITY (CC, No, Date): US 723086 910628

DESIGNATED STATES: DE; FR; GB

INTERNATIONAL PATENT CLASS: G06F-009/44

CITED REFERENCES (EP A):

HEWLETT-PACKARD JOURNAL vol. 40, no. 4, August 1989, PALO ALTO, CA, US
pages 9 - 17 P. S. SHOWMAN 'An Object-Based User Interface for the HP
NewWave Environment'

HEWLETT-PACKARD JOURNAL vol. 40, no. 4, August 1989, PALO ALTO, CA, US
pages 23 - 31 B. LAM ET AL 'The NewWave Office';

CITED REFERENCES (EP B):

HEWLETT-PACKARD JOURNAL vol. 40, no. 4, August 1989, PALO ALTO, CA, US
pages 9 - 17 P. S. SHOWMAN 'An Object-Based User Interface for the HP

ABSTRACT EP 520924 A2

The method and apparatus of the present invention includes a method for providing a non-container object with the appearance of container object attributes in a graphic user interface operating environment. This method and apparatus includes creating a container manager and associating the container manager with the non-container object. A container pane is created and associated with the container manager. This container pane is in communication with the container manager and a list control in the graphic user interface operating environment. The container pane in the container manager both interact to provide the non-container object with the appearance of the container object attributes. If an item is present in the non-container object when the non-container object is started, a contained object is created for the item to be displayed within the non-container object. Next, if an item is added to the non-container object, a contained object is created for the item to be displayed within the non-container object. When an item is removed from the non-container object, the contained object for the item is deleted. When a contained object is present, the container manager is provided control over the display manipulation of the contained object while that contained object is within the non-container object. Moreover, the container pane graphically displays an icon that represents the contained object in a window. The container pane also relays input by a user to the container manager. (see image in original document)

ABSTRACT WORD COUNT: 239

NOTE:

Figure number on first page: 3

LEGAL STATUS (Type, Pub Date, Kind, Text):

Application: 921230 A2 Published application (Alwith Search Report
;A2without Search Report)
Examination: 930623 A2 Date of filing of request for examination:
930427
Search Report: 930908 A3 Separate publication of the European or
International search report
Examination: 961211 A2 Date of despatch of first examination report:
961025
Grant: 991117 B1 Granted patent

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	9946	426
CLAIMS B	(German)	9946	472
CLAIMS B	(French)	9946	491
SPEC B	(English)	9946	5246
Total word count - document A			0
Total word count - document B			6635
Total word count - documents A + B			6635

?show files;ds

File 256:SoftBase:Reviews,Companies&Prods. 85-2000/Feb

(c)2000 Info.Sources Inc

File 278:Microcomputer Software Guide 2000/Jan

(c) 2000 Reed Elsevier Inc.

Set	Items	Description
S1	5	DEFAULT?(2N)(FOLDER? OR CONTAINER?)
S2	8	DEFAULT?(2N)DIRECTOR?
S3	30	DEFAULT? AND (FOLDER? OR CONTAINER?)
S4	87	DEFAULT? AND DIRECTOR?
S5	11	(S1 OR S2) AND (FILE? OR DOCUMENT?)
S6	9	RD (unique items)

?t s6/7/all

6/7/1 (Item 1 from file: 256)

DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.

(c)2000 Info.Sources Inc. All rts. reserv.

00117263 DOCUMENT TYPE: Review

PRODUCT NAMES: Computer Security (830071); Internet Marketing (835552)

TITLE: IT cracks down on site hackers

AUTHOR: Neil, Stephanie Kerstetter, Jim

SOURCE: PC Week, v16 n23 p18(1) Jun 7, 1999

ISSN: 0740-1604

HOME PAGE: <http://www.pcweek.com>

RECORD TYPE: Review

REVIEW TYPE: Product Analysis

GRADE: Product Analysis, No Rating

BellSouth and other companies/organizations have recently been made aware of the significant damage that hackers can do to a nascent electronic business if they destroy customers' confidence in the site. BellSouth's site was hacked on New Year's day, and the site had to be shut down for repair. The FBI's site was also flooded with hackers who forced it offline for several days in June 1999. Because corporate Web sites, say industry experts, are generally vulnerable due to human error, site owners are advised to take the following precautions to protect their sites: limit **document** directory access; use a good firewall and staging server for new World Wide Web content; refresh static sites with an automated process and backup site **directory**; change **default** settings on the Web server and eliminate unused Web application scripts; use network sniffer tools to monitor the server for odd traffic or unauthorized access; check site security against known risks; and use security mailing lists to stay abreast of new security problems. Charles Schwab addresses the problem by using dedicated security experts who work in a highly objective way to fend off hacks. Most IT managers are reassessing corporate security frameworks in order to ensure customer loyalty. For instance, Oppenheimer Funds controls \$114 billion of other people's money, and takes the possibility of a hack very seriously.

REVISION DATE: 19990830

6/7/2 (Item 2 from file: 256)

DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.

(c)2000 Info.Sources Inc. All rts. reserv.

00101721 DOCUMENT TYPE: Review

PRODUCT NAMES: QuickMail Pro 1.0.1 Windows (630632)

TITLE: QuickMail Migrates From the Mac

AUTHOR: Levitan, Arlan

SOURCE: Computer Shopper, v17 n6 p633(1) Jun 1997

ISSN: 0886-0556
HOMEPAGE: <http://www.cshopper.com>

RECORD TYPE: Review
REVIEW TYPE: Review
GRADE: B

CE Software's QuickMail Pro 1.0.1, a Windows PC-based version of the e-mail package that has been popular with Macintosh users for many years, allows Macintosh users to easily migrate to the PC platform. PC users on the Internet who need e-mail can use it as a low-cost, versatile, and intuitive mail system. All the features that made QuickMail a Macintosh favorite are included. Users set it up by adding four data items: Post Office Protocol 3 (POP3) and Simple Message Transfer Protocol (SMTP) server names, POP3 account, and password. The graphical user interface (GUI) is easy-to-use and uncluttered, and uses easily understood, colorful cartoon-type icons that give it a light touch. Inbox, Outbox, Sent Items, and Trash are the **default folders** provided; users can also create customized individual folders. The screen cannot be divided in half with separate windows for message headers and review. Rather, a neat MessagePeek feature shows the first eight lines of a message when the user clicks the right mouse button. MailManager is a rule-based filter that **files**, forwards, and performs other functions. Users can frame newly created messages with too-cute graphics. **File** attachments are allowed, and the Search facility provided is excellent. Error reporting may be too slow for some users.

REVISION DATE: 19990830

6/7/3 (Item 3 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2000 Info.Sources Inc. All rts. reserv.

00098271 DOCUMENT TYPE: Review

PRODUCT NAMES: Wav Live Objects 1 Macintosh Beta (632473)

TITLE: Componentized WAV of the Future
AUTHOR: Thompson, Tom
SOURCE: Byte, v21 n11 p49(1) Nov 1996
ISSN: 0360-5280
HOMEPAGE: <http://www.byte.com>

RECORD TYPE: Review
REVIEW TYPE: Review
GRADE: B

Digital Harbor's Wav Live Objects 1 Beta (WAV), an OpenDoc word processor, gets excellent marks for technology and a good rating for implementation. Tests of a beta release demonstrate a streamlined, powerful feature set, without unnecessary wizards and other features that can make code too big. Text features include standard formatting, including typeface selection and styling; a word count command; and advanced layout features, including text in columns and flexible text spacing. WAV provides conversion filters for WordPerfect 3.x, Microsoft Word 4.x, and Word 5.x. The FolderBay function combines operations and content into virtual 'folders' which are opened by clicking tabs. **Default folders** are provided for text functions, the CyberDog Internet tool suite, and added OpenDoc components. Users can add project folder tabs to organize work **documents**. OpenDoc implementation focuses around **documents** for creation and data handling. WAV integrates effectively with other OpenDoc parts, and if CyberDog is installed, functions are quickly accessible from WAV's CyberDog tab. WAV is an example of online publishing tools of the future where users construct **documents** with dynamic links to data on the World Wide Web.

REVISION DATE: 19980830

6/7/4 (Item 4 from file: 256)
DIALOG(R) File 256:SoftBase:Reviews,Companies&Prods.
(c)2000 Info.Sources Inc. All rts. reserv.

00095890 DOCUMENT TYPE: Review

PRODUCT NAMES: WebWhacker 2.0 (600431)

TITLE: Shareware Shop: Tweaking Web Browsers to Get More out of Time S..
AUTHOR: Gralla, Preston
SOURCE: Computer Shopper, v16 n10 p642(2) Oct 1996
ISSN: 0886-0556
HOMEPAGE: <http://www.cshopper.com>

RECORD TYPE: Review
REVIEW TYPE: Product Analysis
GRADE: Product Analysis, No Rating

Several shareware companion programs are available on the Web that enhance the functionality of the Netscape and Microsoft browsers. EZ Download 96, from MMMMM Software, simplifies the process of downloading a **file** via the Internet with Netscape. The Navigator plug-in works automatically, launching itself whenever the user downloads a ZIP **file** with Navigator. It downloads the **files** to a **default directory**, automatically unzips them, and runs a virus check. Viable Software Alternatives' SurfSilly adds an efficient bookmark feature to the browser. A convenient bar appears on top of the screen, divided into sections that can be labeled with different topic headings. Each section forms a repository for different types of URLs. R. Hunter Gordon's QuikLink Explorer also replaces the traditional bookmark function, making it simpler to add and maintain sites. The utility looks like the Windows 95 Explorer, and organizes sites by folders and allows users to navigate, cut, and paste in the same manner as the Explorer utility. Info Evolution's UnMozify Cache Manager works with the Netscape Navigator cache to allow users to view the cached sites easily while offline. ForeFront Group's WebWhacker 2.0 lets users download a Web page, complete with hyperlinks and inline graphics, for later offline viewing.

REVISION DATE: 19990130

6/7/5 (Item 5 from file: 256)
DIALOG(R) File 256:SoftBase:Reviews,Companies&Prods.
(c)2000 Info.Sources Inc. All rts. reserv.

00087781 DOCUMENT TYPE: Review

PRODUCT NAMES: Microsoft Windows 95 (551473); Microsoft Windows 95 (740896)

TITLE: Windows 95 at Warp Speed
AUTHOR: Dunn, Scott Li-Ron, Yael Spanbauer, Scott
SOURCE: PC World, v14 n4 p116(7) Apr 1996
ISSN: 0737-8939
HOMEPAGE: <http://www.pcworld.com>

RECORD TYPE: Review
REVIEW TYPE: Product Analysis
GRADE: Product Analysis, No Rating

There are plenty of ways to make Microsoft's Windows 95 operating system faster and easier to use. The **file** structure now uses folders instead of directories. Creating a new folder called Data or Documents is a good way to start organizing. Within the Data folder, subfolders can be created for further organization. The folders and subfolders can be easily moved around to create the most optimal filing system. Although Microsoft Office creates a **default folder** called My Documents, Windows has no such default. The long **file** names can be a significant help in finding the right **file**, although excessively long **file** names can slow a user down. Hotkeys can

be assigned to any Shortcut on the desktop so a program can be launched without even clicking the mouse once. Also, in order to provide for effective multitasking, adequate hard disk space should be left open for the dynamic swap file .

REVISION DATE: 19990430

6/7/6 (Item 6 from file: 256)

DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2000 Info.Sources Inc. All rts. reserv.

00081743 DOCUMENT TYPE: Review

PRODUCT NAMES: UniMaint 4.0 OS/2 (578827)

TITLE: UniMaint an essential bundle of primo OS/2 utilities

AUTHOR: Hollander, Geoffrey

SOURCE: InfoWorld, v17 n37 p100(1) Sep 11, 1995

ISSN: 0199-6649

HOME PAGE: <http://www.infoworld.com>

RECORD TYPE: Review

REVIEW TYPE: Review

GRADE: A

SofTouch Systems' UniMaint 4.0 for OS/2, a highly-recommended system utilities package, gets a thumbs up for its safe storage of OS/2 binary format configuration files and system tuning/optimization features. The product's central IniMaint module does diagnostics on OS/2 INI files to find and fix outdated references to files, paths, old PM ProgramList entries, and other items. In Reporting Mode, IniMaint locates and lists INI problems for the user's perusal. The user can then follow IniMaint recommendations or not; IniMaint can also automatically optimize the system itself. MultiMaint and WorkPlace Shell utilities backup the Desktop, INI files, or both, allowing users a choice of supplemental or full backup; default storage directories; and up to 100 backup generation cycles. Uninstall removes OS/2 applications, taking out all program modules, files, and other items, including Dynamic Link Libraries (DLLs) and OS/2 INI entries.

REVISION DATE: 19951230

6/7/7 (Item 7 from file: 256)

DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2000 Info.Sources Inc. All rts. reserv.

00053430 DOCUMENT TYPE: Review

PRODUCT NAMES: FasTrak (465518)

TITLE: Development Tool Set Eases OS-9 Network-Software Programming

AUTHOR: Titus, Jon

SOURCE: EDN - Magazine Edition, v38 n8 p99(1) Apr 15, 1993

ISSN: 0012-7515

HOME PAGE: <http://www.ednmag.com>

RECORD TYPE: Review

REVIEW TYPE: Product Analysis

GRADE: Product Analysis, No Rating

Microware Systems Corporation's Fastrak is a programming toolkit that greatly streamlines the development of OS-9 software across a TCP/IP network. UNIX-based Fastrak is comprised of Fastrak Workbench, Text Editor, Makefile Editor, Fastfix Debugger, and Target Monitor, together which supply a comprehensive environment for building and executing OS/9 programs, manipulating files and directories, setting defaults, and

running other software tools concurrently. Fastrak also includes the Ultra C compiler, which supports local, global, and interprocedural optimizations. A Windows/DOS version of Fastrak is expected by mid-1993.

REVISION DATE: 19940330

6/7/8 (Item 8 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2000 Info.Sources Inc. All rts. reserv.

00042535 DOCUMENT TYPE: Review

PRODUCT NAMES: WindowBase 1.5 (338206)

TITLE: WindowBased Access to SQL and DBF Data
AUTHOR: Mueller, John
SOURCE: Data Based Advisor, v10 n9 p100(1) Sep 1992
ISSN: 0740-5200
HOMEPAGE: <http://www.advisor.com>

RECORD TYPE: Review
REVIEW TYPE: Review
GRADE: A

WindowBase 1.5, an SQL database management system, works very well for corporate enterprise environments where many users must gain access to data in various SQL, Btrieve, and dBASE III PLUS database files. SQL statements provide access to the data, and ASCII and DIF files can be imported or exported. The familiar Windows icon toolbar allows the user to switch between functions, and a query-by-example facility makes for ease of use. Single user mode logon is automatic, a big improvement over older versions. However, no programming language is supplied, and installation to any directory but the default is very difficult. The product is unreservedly recommended for all corporate users that need to be able to use more than one data format.

REVISION DATE: 19990530

6/7/9 (Item 9 from file: 256)
DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2000 Info.Sources Inc. All rts. reserv.

00031218 DOCUMENT TYPE: Review

PRODUCT NAMES: AutoCAD 11 (004665)

TITLE: Network Plotting
AUTHOR: Billing, Kenneth W.
SOURCE: Cadence, v7 n1 p53(3) Jan 1992
ISSN: 0887-9141
HOMEPAGE: <http://www.cadence-mag.com>

RECORD TYPE: Review
REVIEW TYPE: Product Analysis
GRADE: Product Analysis, No Rating

Network plotting is an automatic process with AutoCAD 11's AutoSpool feature which creates links between AutoCAD and an external network printing command, and uses a third-party plot spooler. AutoCAD uses the default plot spooler directory when plotting to a file via AutoSpool. The directory must exist before plotting or AutoCAD will not be able to create a plot file and will disable spooling. The DOS and UNIX versions of AutoCAD Release 11 can link the default plot filename and an ACAD.PGP command through one of two environment variables to make network plotting transparent and automatic without extra software. Set up properly, AutoCAD vectorizes a drawing into plotter commands and sends them to the plot

spooler directory with a unique name. The technique does not work with real-mode ADI plotter or printer drivers. Plot spoolers for AutoCAD work just as well for managing network plotting as they do for individual workstation plotting.

REVISION DATE: 19990530

?

?show files;ds
File 613:PR Newswire 1999-2000/Mar 02
(c) 2000 PR Newswire Association Inc
File 813:PR Newswire 1987-1999/Apr 30
(c) 1999 PR Newswire Association Inc

Set	Items	Description
S1	1	DEFAULT?(2N) (FOLDER? OR CONTAINER?)
S2	20	DEFAULT?(2N) (DIRECTOR?)
S3	21	S1 OR S2
S4	4	S3(S) (FILE? OR DOCUMENT?)
S5	4	RD (unique items)

?s s5 and py<1999

	4	S5
	1366548	PY<1999
S6	4	S5 AND PY<1999

?show files;ds
File 613:PR Newswire 1999-2000/Mar 02
(c) 2000 PR Newswire Association Inc
File 813:PR Newswire 1987-1999/Apr 30
(c) 1999 PR Newswire Association Inc

Set	Items	Description
S1	1	DEFAULT?(2N) (FOLDER? OR CONTAINER?)
S2	20	DEFAULT?(2N) (DIRECTOR?)
S3	21	S1 OR S2
S4	4	S3(S) (FILE? OR DOCUMENT?)
S5	4	RD (unique items)
S6	4	S5 AND PY<1999

?t s6/3,k/all

6/3,K/1 (Item 1 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

1368307 HSSA001
**Central Command Warns of New Scripting Virus 'WinScript.Rabbit' That
Infects Windows 95, Windows 98, and Windows NT and Travels Through the
Internet**

DATE: October 31, 1998 06:00 EST WORD COUNT: 429

... immediately reveal it's presence on a infected system. When a web browser executes the virus from the remote web server, the virus infects all **files** in the local web browsers cache and copies them to the computers desktop, since the **default directory** is the computers desktop. When this happens the desktop becomes filled with icons from the infected scripts. Despite these obvious errors the simplicity of the...

6/3,K/2 (Item 2 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

1199466 NYF083
Worm Alert From Dr Solomon's

DATE: December 12, 1997 14:18 EST WORD COUNT: 643

...be noted that the user has to accept the download to become infected.

The easiest solution to this type of attack is to change the **default save directory** (usually C: mirc) to any other directory (use DCC/Options/Dirs). This stops the worm from overwriting your default script **file** (SCRIPT.INI) which is how it gets control of your system.

Dr Solomon's has put an extra driver on its website called EXTRA.DRV...

6/3,K/3 (Item 3 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

0812217 SJ011
PACIFIC MICROELECTRONICS: MAC-IN-DOS FOR WINDOWS VERSION 2.2 OFFERS NEW FEATURES

DATE: April 25, 1995 19:28 EDT WORD COUNT: 370

...and improved overall performance. Other improvements in the new version include the capability of copying and deleting whole directories and sub directories and designating a **default DOS directory** in which to copy Macintosh **files**. PC to Macintosh **file** transfers are easier, too, as all methods of attaching Mac finder information to a **file** have been consolidated in one option and the finder array of popular **file** types has been updated.

The new Mac-In-DOS for Windows offers improved features for transferring MacBinary files from Macintosh to PC by modem or...

6/3,K/4 (Item 4 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

0372598 LA003
VISION TECHNOLOGIES INTERNATIONAL INC. WINS SUMMARY ADJUDICATION AGAINST STAAR DIRECTORS

DATE: May 21, 1991 11:02 EDT WORD COUNT: 311

...Surgical Co. has been granted by the Superior Court in Los Angeles. VTI had previously loaned certain directors of STAAR Surgical approximately \$325,000. Upon **default** by the **directors**, VTI **filed** a claim for repayment. VTI's motion for Summary Adjudication of Issues has been granted as to the liability of Lamar Laster and John Wolf...

?show files;ds

File 9:Business & Industry(R) Jul/1994-2000/Mar 02
(c) 2000 Resp. DB Svcs.
File 15:ABI/INFORM(R) 1971-2000/Mar 02
(c) 2000 Bell & Howell
File 16:Gale Group PROMT(R) 1990-2000/Mar 02
(c) 2000 The Gale Group
File 160:Gale Group PROMT(R) 1972-1989
(c) 1999 The Gale Group
File 47:Gale Group Magazine DB(TM) 1959-2000/Mar 02
(c) 2000 The Gale group
File 88:Gale Group Business A.R.T.S. 1976-2000/Mar 02
(c) 2000 The Gale Group
File 98:General Sci Abs/Full-Text 1984-1999/Oct
(c) 1999 The HW Wilson Co.
File 141:Readers Guide 1983-2000/Nov
(c) 2000 The HW Wilson Co
File 148:Gale Group Trade & Industry DB 1976-2000/Mar 02
(c)2000 The Gale Group
File 275:Gale Group Computer DB(TM) 1983-2000/Mar 02
(c) 2000 The Gale Group
File 484:Periodical Abstracts Plustext 1986-1999/Nov W3
(c) 1999 Bell & Howell
File 553:Wilson Bus. Abs. FullText 1982-1999/Sep
(c) 1999 The HW Wilson Co
File 570:Gale Group MARS(R) 1984-2000/Mar 02
(c) 2000 The Gale Group
File 583:Gale Group Globalbase(TM) 1986-2000/Mar 02
(c) 2000 The Gale Group
File 608:KR/T Bus.News. 1992-2000/Mar 02
(c)2000 Knight Ridder/Tribune Bus News
File 613:PR Newswire 1999-2000/Mar 02
(c) 2000 PR Newswire Association Inc
File 621:Gale Group New Prod.Annou.(R) 1985-2000/Mar 02
(c) 2000 The Gale Group
File 624:McGraw-Hill Publications 1985-2000/Mar 02
(c) 2000 McGraw-Hill Co. Inc
File 634:San Jose Mercury Jun 1985-2000/Feb 28
(c) 2000 San Jose Mercury News
File 635:Business Dateline(R) 1985-1999/Nov 17
(c) 1999 Bell & Howell
File 636:Gale Group Newsletter DB(TM) 1987-2000/Mar 02
(c) 2000 The Gale Group
File 647:CMP Computer Fulltext 1988-2000/Feb W3
(c) 2000 CMP
File 674:Computer News Fulltext 1989-2000/Feb W3
(c) 2000 IDG Communications
File 810:Business Wire 1986-1999/Feb 28
(c) 1999 Business Wire

Set	Items	Description
S1	448	DEFAULT?(2N) (FOLDER? OR CONTAINER?)
S2	1886	DEFAULT?(2N)DIRECTOR?
S3	193687	(FILE? OR DOCUMENT?)(3N) (CHECK? OR CHEQUE? OR FIND? OR EXAMIN? OR LOOK? OR APPRIS? OR DISCERN? OR LOCAT? OR DISCRIMIN? - OR EVALUAT? OR DETERMIN?)
S4	119224	(FILE? OR DOCUMENT?)(3N) (TYPE? OR ASCERTAIN? OR ASSESS? OR DEDUC? OR VERIF? OR ANALY??? ? OR ANALYT? OR JUDG? OR RECOGNI? OR CONFIRM?)
S5	213	S1 AND (S3 OR S4)
S6	156903	(FILE? OR DOCUMENT?)(3N) (MARK OR MARKED OR MARKS OR MARKING? OR EXTENSION? OR IDENTIF? OR DESIGNAT? OR SPECIF? OR SELECT? OR ASSIGN??? ? OR PICK OR PICKS OR PICKED OR PICKING? OR INDICAT? OR INSPECT?)
S7	35	S1(S) (S3 OR S4)
S8	252	S2(S) (S3 OR S4)
S9	12	S7(S)S6
S10	10	RD (unique items)

S11	70	S8(S)S6
S12	47	RD (unique items)
S13	46	S12 NOT S10
S14	43	S13 AND PY<1999
S15	7	S10 AND PY<1999

15/3,K/1 (Item 1 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2000 The Gale Group. All rts. reserv.

05110048 Supplier Number: 47802507 (USE FORMAT 7 FOR FULLTEXT)
Work Smarter! Tips and Tricks for Architects
Krupa, Ken; Solomon, Jonathan
Cadence, p034
July, 1997
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 5686

... are using is created parametrically by a function, then you may or may not be able to change the scale of the object. You can look in the default files (DFL) to see if the object has a default scale that is read by the function creating the object. The DFL files are in the ARCHT **DEFAULT** folder or directory and are organized by division. Be sure to check all the files for your object if you don't find it where you would expect to-some division 01 objects are scaled in MISC.DFL, for example. The second tier of scale factors comes from the use of table files that display a selection for you to make for the insertion of a Unit object. There are tables that correspond to uniform x-y-z scaling (unit 1), x...
19970701

15/3,K/2 (Item 1 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

05433042 SUPPLIER NUMBER: 20631250 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Torn Between Two Web Browsers. (Moving from one browser to another, Microsoft Internet Explorer and Netscape Navigator.) (Product Support)
Martin, James A.
PC World, v16, n6, p45(1)
June, 1998
ISSN: 0737-8939 LANGUAGE: English RECORD TYPE: Fulltext; Abstract
WORD COUNT: 1003 LINE COUNT: 00080

... you have both browsers installed on your system, you can open the Netscape bookmark file in IE 3.x or 4.x. To do this, select File *Open*Browse; choose the hard drive where your application files are stored; and navigate through the following folders: Program Files, Netscape, User, and Your Name. You'll find the Netscape bookmark file (in HTML format) in the Defaults folder. IE displays this file as a page, with all the bookmarks available as active links. Clicking on any link opens the site in IE, at...

19980601

15/3,K/3 (Item 1 from file: 141)
DIALOG(R)File 141:Readers Guide
(c) 2000 The HW Wilson Co. All rts. reserv.

03788160 H.W. WILSON RECORD NUMBER: BRGA98038160 (USE FORMAT 7 FOR FULLTEXT)
Torn between two Web browsers.
AUGMENTED TITLE: experience of D. Sears
Martin, James A.
PC World (PC World) v. 16 no6 (June '98) p. 45-6
WORD COUNT: 929

(USE FORMAT 7 FOR FULLTEXT)

TEXT:

... you have both browsers installed on your system, you can open the

Netscape bookmark file in IE 3.x or 4.x. To do this, select **File** *Open*Browse; choose the hard drive where your application files are stored; and navigate through the following folders: Program Files, Netscape, User, and Your Name. You'll find the Netscape bookmark file (in HTML format) in the Defaults folder. IE displays this file as a page, with all the bookmarks available as active links. Clicking on any link opens the site in IE, at...

1998

15/3,K/4 (Item 1 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2000 The Gale Group. All rts. reserv.

10311608 SUPPLIER NUMBER: 20889863 (USE FORMAT 7 OR 9 FOR FULL TEXT)
98 tips for using Windows 98. (Product Information)
Cheek, Michael; Byrne, Jason; Breeden II, John
Government Computer News, v17, n19, p31(1)
June 29, 1998
ISSN: 0738-4300 LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 5625 LINE COUNT: 00457

... all the other folders and subfolders? Under View on the menu again, select Folder Options. Then click the View tab, which is between General and File Types. Select the button at the top that says "Like current folder," and that will format all the other folders like the My Computer folder already open. Clicking on the Reset all folders button will set all the folders to their default Web display setting.

Tip 62: Users of Win95 Plus pack may be familiar with Desktop Themes, which change icons, backgrounds, sounds and cursors to make...

19980629

15/3,K/5 (Item 1 from file: 608)

DIALOG(R)File 608:KR/T Bus.News.
(c)2000 Knight Ridder/Tribune Bus News. All rts. reserv.

06576974 (USE FORMAT 7 OR 9 FOR FULLTEXT)
The Arizona Republic Computer Answer Files Column
The Arizona Republic
August 03, 1998
DOCUMENT TYPE: NEWSPAPER RECORD TYPE: FULLTEXT LANGUAGE: ENGLISH
WORD COUNT: 1266

...TEXT: display a box that allows you to choose a file to open. Toward the bottom of this box will be an option for setting the file type to be opened. Usually, when you click on the down arrow to the right of the current file type, a scroll box will open with all the different file types available for conversion. Find the file type that applies to the program from which you are trying to convert and select it.

For instance, since you are trying to convert Microsoft Works...

...look in the drive (C:, D:, A:, etc.) and/or folder or directory (C: MSWorks, C: My Files, etc.) that contains your Works files. The default folder that you will start in will contain Word documents, therefore you will not see files to open until you locate the Works documents with the .wps file extension. Click on the down arrow on the right side of the "Look In" box to get to your old file location. Once you have found your files, simply double click on the file to be opened and Microsoft Word will automatically convert the file from the...

...be lost in the Word document but all of the text should be there.

If you have a program that is not listed in the File Type option there are two other options you can try.

The first is to choose All Files (*.*). Proceed to the location of your files and double click on one to see if the conversion program can

identify the file properly on its own.

If this does not work, another option is to go back to the original program, pull up a file and use...

1998

15/3,K/6 (Item 2 from file: 608)

DIALOG(R)File 608:KR/T Bus.News.

(c)2000 Knight Ridder/Tribune Bus News. All rts. reserv.

643551 Story Number: 9745 (USE FORMAT 7 OR 9 FOR FULLTEXT)

THE ARIZONA REPUBLIC KEN COLBURN COLUMN

Ken Colburn

Arizona Republic

Apr 06, 1998 18:47 E.T.

DOCUMENT TYPE: Newspaper RECORD TYPE: Fulltext LANGUAGE: English

WORD COUNT: 0743

...TEXT: you've made your changes, click the Default button. The changes will take effect next time you start a document.

Word uses the My Documents folder as the default for opening and saving documents. But you can use any folder you like. Here's how: Click the Tools menu and choose Options. Tab over to File Locations. Select Documents and click Modify. Use the Modify Location dialog box to locate the folder you want to use, then click OK.

Ken Colburn is a computer...

1998

15/3,K/7 (Item 1 from file: 647)

DIALOG(R)File 647:CMP Computer Fulltext

(c) 2000 CMP. All rts. reserv.

01151633 CMP ACCESSION NUMBER: WIN19980201S0110

WinTips - Web (WinTips)

WINDOWS MAGAZINE, 1998 , n 902, PG274

PUBLICATION DATE: 980201

JOURNAL CODE: WIN LANGUAGE: English

RECORD TYPE: Fulltext

SECTION HEADING: FYI

WORD COUNT: 526

, 1998

Since Navigator stores bookmarks as an HTML file, it's easy to access them within Internet Explorer. Open the bookmark file (you'll usually find it in your Communicator folder, under Program/Defaults / bookmark.htm) within IE. When the file displays in IE, select Favorites/Add to Favorites.

Revert to Plain Text

Each entry in the Outlook Express address book lets you specify whether to send e-mail to...

?t s14/3,k/all

14/3,K/1 (Item 1 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2000 The Gale Group. All rts. reserv.

01654295 Supplier Number: 42050173 (USE FORMAT 7 FOR FULLTEXT)

Better Menus for Windows

Network Computing, p30

May, 1991

Language: English Record Type: Fulltext

Document Type: Magazine/Journal; Trade

Word Count: 1320

... administrators in changing these Windows system files.

INIMAN is a standalone application that helps administrators update. INI files on the network. It uses a separate file with a .DEF extension, which may be located anywhere in the administrator's path, that can contain conditional statements based on user and group names, allowing Windows administrators to use a single .DEF file to change many users' .INI files and give them all different settings. In order for the administrator to find the .INI files, they must be located on server directories, because INIMAN requires the .INI files with which it works to be in its default directory when it is run.

If a user or administrator wishes to use INIMAN to update INI files on a local hard disk, he or she...

19910501

14/3,K/2 (Item 1 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

05278231 SUPPLIER NUMBER: 53349750 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Digital Shorthand.

BRADLEY, HELEN

Home Office Computing, 116(1)

Dec, 1998

ISSN: 0899-7373 LANGUAGE: English RECORD TYPE: Fulltext

WORD COUNT: 838 LINE COUNT: 00064

... linking the image to a document rather than inserting it. When you select Insert, Picture, From File, select Link to File and deselect Save With Document before selecting Insert.

Document change Word's default file location is the My Documents folder, but you can easily change this. Select Tools, Options, and then the File Locations tab. Click on Documents from the list, then the Modify button, and select your new default directory or click the Create New Folder button to create one as you go.

Move quickly To add extra space before a paragraph, place the insertion...

19981200

14/3,K/3 (Item 2 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

04692056 SUPPLIER NUMBER: 19134604 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Undocumented secrets: 101 tips for Windows 95, NT, and 3.x. (Product Support) (Cover Story)

Ryan, Valerie Murray; Miller, Ben

PC World, v15, n3, p121(10)

March, 1997

DOCUMENT TYPE: Cover Story ISSN: 0737-8939 LANGUAGE: English

RECORD TYPE: Fulltext; Abstract

WORD COUNT: 6265 LINE COUNT: 00461

... application, and it may take a bit of looking to figure it out. For

instance, in Microsoft Word for Windows, select Tools*Options, click the **File Locations** tab, and modify the Documents option. In Excel, it's again Tools*Options, but you click the General tab and enter the correct path into the Default **File Location** field. In Lotus Approach, you **select File *User Setup*Approach Preferences**, click the General tab, click **Default Directories**, and fill in the information.

81. Data Central, Part 3. If an application doesn't offer a way to change its working directory (folder), try...

19970300

14/3,K/4 (Item 3 from file: 47)

DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

04565368 SUPPLIER NUMBER: 18593503

Take my advice. . . Please.(Net Traveler) (Internet/Web/Online Service Information) (Column)

Swaine, Michael

MacUser, v12, n10, p111(1)

Oct, 1996

DOCUMENT TYPE: Column ISSN: 0884-0997 LANGUAGE: English

RECORD TYPE: Fulltext

WORD COUNT: 8277 LINE COUNT: 00780

... in through the lobby. In this case, you'll be attaching to the Web server on port 1492 of www.test.org.

You'll be **looking** at a **file** that's **located** in the **files** directory, which is itself located inside the test directory. If a URL doesn't have a file named after the last slash, you'll either receive a list of all the files in a directory or will automatically be sent a **specific file** in that **directory** by **default**.

The beginning of a URL tells you what sort of connection you need. Here, http: signifies a World Wide Web connection.

This is the file...

19961000

14/3,K/5 (Item 4 from file: 47)

DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

04359321 SUPPLIER NUMBER: 17424984 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Match files in two directories. (WMatch utility) (PC Tech:

Utilities) (includes related article on guide to utilities and how to get them) (Column)

Mefford, Michael J.

PC Magazine, v14, n19, p409(14)

Nov 7, 1995

DOCUMENT TYPE: Column ISSN: 0888-8507 LANGUAGE: English

RECORD TYPE: Fulltext; Abstract

WORD COUNT: 7536 LINE COUNT: 00677

... by selecting Directory under the File menu. A Directory dialog box will pop up (see Figure 1).

Note that the "Files:" edit box in the **Directory** dialog **defaults** to **"*.*"** so that all **files** in the **selected** directory will be listed. Change this filespec if you wish to restrict the **files** listed to certain **types**. For example, to list only backup files or text files, change the filespec to *.BAK or *.TXT. Select a directory and click on OK to...

19951107

14/3,K/6 (Item 5 from file: 47)

DIALOG(R)File 47:Gale Group Magazine DB(TM)

(c) 2000 The Gale group. All rts. reserv.

04152658 SUPPLIER NUMBER: 16179371 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Good ideas. (Lotus 1-2-3 tip) (Lotus special section)
PC World, v12, n11, pL31(1)
Nov, 1994
ISSN: 0737-8939 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT
WORD COUNT: 215 LINE COUNT: 00015

More than once I've overwritten a **file** on disk by **selecting /File /Save** and then quickly pressing <Enter> and selecting Replace. When you save a worksheet for the first time, 1-2-3 automatically supplies the first file name in your **default directory**. If you press <Enter> and select Replace instead of entering a new file name, 1-2-3 overwrites the file on disk with the contents...

...the current file. To avoid this, I saved a blank worksheet with the name 000BLANK.WK1; this is now the first file name in the **default directory**, and it appears when I **select File /Save**. If I accidentally select Replace, 1-2-3 saves the current worksheet with the name 000BLANK.WK1. **Check the file names** in the current directory to be sure the name of your blank file displays first.

Ken Hundley, Cherry Valley, California
Editor's note: In...

19941100

14/3,K/7 (Item 6 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

04152640 SUPPLIER NUMBER: 16175475 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Star-dot-star tips. (Here's How) (Column)
Glass, Brett
PC World, v12, n11, p291(3)
Nov, 1994
DOCUMENT TYPE: Column ISSN: 0737-8939 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT
WORD COUNT: 1695 LINE COUNT: 00126

... character (usually an arrow pointing to the left) due to the EOF character. Next the batch file runs PRN2FAX and sends the output to a **file** called SENDME.DCX, **located** in a convenient place--the fax program's OUTBOX directory. This is the **default directory** where you **pick files** to send, so it's easy to select and send the letter. Finally, the batch file cleans up by deleting the temporary file.

Heather Moore...

19941100

14/3,K/8 (Item 7 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

04126332 SUPPLIER NUMBER: 16066646 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Word processing Q&A. (Here's How) (question-and-answer) (Column)
Campbell, George
PC World, v12, n7, p246(3)
July, 1994
DOCUMENT TYPE: Column ISSN: 0737-8939 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT
WORD COUNT: 1782 LINE COUNT: 00132

... isn't the case, however, your only choice is to delete or rename the file.

To do this, exit WordPerfect, and then use the Windows **File Manager**

to locate the file . (It should be in the directory that you specified for initialization files when you installed WordPerfect; the default directory is C:\WPWIN60.) Highlight the file name, and then select File /Delete. You can now restart WordPerfect, which should run normally.

There's just one problem: The program reverts to its factory-set defaults and you...

19940700

14/3,K/9 (Item 8 from file: 47)

DIALOG(R)File 47:Gale Group Magazine DB(TM)

(c) 2000 The Gale group. All rts. reserv.

04047601 SUPPLIER NUMBER: 15051139 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Simplify your data management with Approach. (Lotus Development Corp.'s Approach database management system) (includes related articles on definitions for terms used in Approach, on Approach features and on why user applications) (Tutorial)

Robinson, Celeste

PC World, v12, n3, pL4(5)

March, 1994

DOCUMENT TYPE: Tutorial ISSN: 0737-8939 LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 2892 LINE COUNT: 00209

... is how easily it accepts data from just about any popular database program. But you can create your own data files with Approach as well.

Select File /New and type a new file name, specifying the appropriate drive and directory. The default file type is dBASE IV; change the file type to dBASE III+ or FoxPro or Paradox if you need to. When you click OK, the Field Definition dialog box appears. For each field you...

19940300

14/3,K/10 (Item 9 from file: 47)

DIALOG(R)File 47:Gale Group Magazine DB(TM)

(c) 2000 The Gale group. All rts. reserv.

03961503 SUPPLIER NUMBER: 14422254 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Word processing. (Solutions; question-and-answer)

Christenson, Larry; Stone, M. David; Kirste, Willard, Jr.

PC Magazine, v12, n18, p383(2)

Oct 26, 1993

ISSN: 0888-8507 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT

WORD COUNT: 1781 LINE COUNT: 00127

... the Option text box, typing the appropriate path in the Setting text box, and choosing set.

WinWord will use the DOC-Path entry as its default data directory no matter how you start the program--even if you start it from File Manager, or start it from Program Manager using an icon that loads a specific file. If you only have one data directory or you absolutely want WinWord to start in the same directory every time, this method is your ticket. However, unless you have very few data files, it makes more sense to divide your files into directories--by project, client, type of file, or any other way that makes sense for the way you work.

If you use the Working Directory entry to define the default data file ...

19931026

14/3,K/11 (Item 10 from file: 47)

DIALOG(R)File 47:Gale Group Magazine DB(TM)

(c) 2000 The Gale group. All rts. reserv.

03893206 SUPPLIER NUMBER: 13647947 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Optimize your 3-D worksheet for easy data entry. (includes related articles on setting up a 3-D expense account worksheet and on moving around in a multisheet file) (Lotus: News You Can Use about 1-2-3 and Companion Products) (Tutorial)

Klamon, Donald E.

PC World, v11, n4, pL18(5)

April, 1993

DOCUMENT TYPE: Tutorial ISSN: 0737-8939 LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 2859 LINE COUNT: 00232

... ACCOUNTS,2)

D:I28@COORD(DEPT-SHEET,DATE-COLUMN,ACCT-ROW,8)

D:I31@STRING(INPUTVALUE,0)

7. Save the file

In 1-2-3 select /FileoSave , type a file name that isn't listed in the default directory , and press <Enter>.

In 1-2-3/W select FileoSave As, type a file name, and click OK.

RELATED ARTICLE: MOVING AROUND IN A MULTISHEET...

19930400

14/3,K/12 (Item 11 from file: 47)

DIALOG(R)File 47:Gale Group Magazine DB(TM)

(c) 2000 The Gale group. All rts. reserv.

03862198 SUPPLIER NUMBER: 13406393 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Find the best after-tax yield. (an easy-to-use Lotus Development Corp. 1-2-3 spreadsheet model for identifying good investments) (includes related article about how to use the model presented to maximize net yield on savings) (Lotus: Getting the Most From 1-2-3 & Other Lotus Software) (Tutorial)

Chen, Helen

PC World, v11, n2, pS19(4)

Feb, 1993

DOCUMENT TYPE: Tutorial ISSN: 0737-8939 LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 2580 LINE COUNT: 00193

... 8)

B25 +B16*(1-B23)

Copy range B23..B25 to range C23..E23.

8. Save the file

To save the template with its formulas intact, select /File *Save, type a file name that isn't already listed in the default directory , and press <Enter>. In 1-2-3/W, select File *Save As, enter a file name not listed in the directory, and click OK.

19930200

14/3,K/13 (Item 12 from file: 47)

DIALOG(R)File 47:Gale Group Magazine DB(TM)

(c) 2000 The Gale group. All rts. reserv.

03814103 SUPPLIER NUMBER: 13472498 (USE FORMAT 7 OR 9 FOR FULL TEXT)

MicroCal Software. (3-D and contour graphing modules for Origin Technical Graphics and Data Analysis graphing software) (Brief Article) (PC World Lotus Edition supplement)

PC World, v10, n12, pL4(1)

Dec, 1992

ISSN: 0737-8939 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT

WORD COUNT: 670 LINE COUNT: 00057

... P30..R30)

P38 +P35+P36

P39 +Q8
P40 +P39-P38
P42 +P38/P39

8. Save the file To save the template with its formulas intact, **select** /**File** *Save (in Symphony, SERVICES***File** *Save), **type** a file name that isn't already listed in the **default directory**, and press <Enter>. In 1-2-3/W **select** **File** *Save As, enter a file name not listed in the directory, and click OK.

19921200

14/3,K/14 (Item 13 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

03727349 SUPPLIER NUMBER: 12182334 (USE FORMAT 7 OR 9 FOR FULL TEXT)
50 spreadsheet tips. (Tutorial)
Wood, Christina
PC World, v10, n6, p196(10)
June, 1992
DOCUMENT TYPE: Tutorial ISSN: 0737-8939 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 5855 LINE COUNT: 00421

... an empty work space with no worksheet at all, load Excel using EXCEL/E. You can issue that command at the DOS prompt or after **selecting** **File** *Run in Windows. (Or create an icon in Windows to do this for you. See the tip "Personal Icons" below.) You can also load Excel using EXCEL/P directory, where **directory** is the **default** where Excel **looks** for your **files**.

MAKING PICTURE CHARTS

If you're making a presentation of chicken sales, wouldn't a chart that stacks up chickens look better than a plain...

19920600

14/3,K/15 (Item 14 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

03726236 SUPPLIER NUMBER: 11772212 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Spreadsheets (A..Z): practical tips for building better worksheets.
(includes related articles with tips on using Microsoft Excel and First Byte's Monologue speech-synthesis program) (Tutorial)
Scoville, Richard
PC World, v10, n2, p233(3)
Feb, 1992
DOCUMENT TYPE: Tutorial ISSN: 0737-8939 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 1262 LINE COUNT: 00093

... C5, B16..C16, and B18..C18. Pretty neat, eh?
To format your next worksheet quickly, you can transfer the defined styles. First save this worksheet: **Select** /**File** Save, enter a file name not already in your **default directory**, and press <Enter>. Then clear your worksheet with /Worksheet Erase Yes. To use the styles in your new worksheet, **select** :Special Import Named-Styles, and **select** the FMT file for the file you just saved. **Verify** that your formatting styles are available by selecting :Named-Styles and examining the menu.

Questionable Spreadsheets Department

Q. I read your October column with some...

19920200

14/3,K/16 (Item 15 from file: 47)

DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

03221730 SUPPLIER NUMBER: 07190359 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Background copying without OS-2. (Utilities) (technical)
Boling, Douglas
PC Magazine, v8, n1, p289(12)
Jan 17, 1989
DOCUMENT TYPE: technical ISSN: 0888-8507 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 3157 LINE COUNT: 00233

... First function to verify that the source filename is valid. If not, BCOPY prints an error message and terminates. If the source is valid, BCOPY **checks** the destination filename.

Just how to **determine** whether the user has **specified** a destination file or just a directory is an interesting problem. BCOPY assumes that the user has specified only the directory and tries to switch the **default directory** to the destination name. If no error code is returned, then the destination must be a directory. If an error is returned, BCOPY attempts to **find** the file using the same First function used for the source filename. If DOS **indicates** that the path is invalid, then BCOPY will assume that the user has specified an illegal destination path.

If DOS indicates that the file could...

19890117

14/3,K/17 (Item 16 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

03080154 SUPPLIER NUMBER: 06200964 (USE FORMAT 7 OR 9 FOR FULL TEXT)
PC-to-Mac data transfers. (three techniques and a new set of tools for file transfers between PCs and Macintoshes)
Seymour, Jim
PC Magazine, v7, n1, p222(2)
Jan 12, 1988
DOCUMENT TYPE: evaluation ISSN: 0888-8507 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2033 LINE COUNT: 00148

... Translators button and then click on the formats of the source and target files; the choices appear in the two windows.

Click the Connect button, **select** the files on the respective machines, and click Connect. Bingo: the file is moved and converted (for a more detailed roadmap, see the review of MacLink Plus). MacLinkPlus shows you only those files on the PC with the appropriate **filename extensions** (for example, .DOCs for MultiMate files, .WKS for 1-2-3 spreadsheets, and so on); you come up in the **default directory** but can move among disk drives and subdirectories by pointing and clicking. At the Mac end, MacLinkPlus supports Apple's HFS (Hierarchical File System), so...
...can move among folders and drives the same way. MacLinkPlus even tallies on-screen possible errors during the translation process and writes an error-log file you can **check** later.

If you don't want to do the file conversion during transfer--or if your Mac is connected to a network and you're...

19880112

14/3,K/18 (Item 17 from file: 47)
DIALOG(R)File 47:Gale Group Magazine DB(TM)
(c) 2000 The Gale group. All rts. reserv.

02949224 SUPPLIER NUMBER: 04803062 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Write-In, PC-based word processor boasts of tight integration with 1-2-3.

(Software Review) (evaluation)

Pearlman, Dara

PC Week, v4, n18, p87(2)

May 5, 1987

DOCUMENT TYPE: evaluation ISSN: 0740-1604

LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 1665 LINE COUNT: 00123

... around the screen. Menu-driven commands handle common editing functions such as cut-and-paste and text deletions.

Write-In uses 1-2-3's **default directory** settings when it looks for **document files** on disk. These files use the **extension "BLT"** to distinguish them from 1-2-3 worksheet files. Write-In's file-management commands mimic 1-2-3's file-management commands, allowing...

19870505

14/3,K/19 (Item 18 from file: 47)

DIALOG(R)File 47:Gale Group Magazine DB(TM)

(c) 2000 The Gale group. All rts. reserv.

02814160 SUPPLIER NUMBER: 00655982 (USE FORMAT 7 OR 9 FOR FULL TEXT)

The Business of Words: Personal.

Dickinson, John

PC Magazine, v5, n2, p180-182

Jan. 28, 1986

DOCUMENT TYPE: evaluation ISSN: 0888-8507

LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 20656 LINE COUNT: 01562

... or insensitive, and backward or forward in any combination. It's an attractive feature of TEXTRA's design.

On TEXTRA's program disk you'll find a file called TXCUSTOM.EXE, which lets you set a variety of defaults. For example, you can preset the search-and-replace switches, the **default drive and directory**, printer settings, and even such details as including file size in the directory listings or highlighting all **files** with the **extension** of .DOC in yellow.

It sounds like you can't go wrong with TEXTRA, but of course you can. TEXTRA uses global left- and right...

19860128

14/3,K/20 (Item 19 from file: 47)

DIALOG(R)File 47:Gale Group Magazine DB(TM)

(c) 2000 The Gale group. All rts. reserv.

02809366 SUPPLIER NUMBER: 04110492 (USE FORMAT 7 OR 9 FOR FULL TEXT)

The business of words; personal. (word processing programs) (evaluation)

Raskin, Robin; Stone, M. David; Mintzer, Jane; Gordon, Dawn; Stafford, Paul M.; Stallings, Stephanie; Goldberg, Cheryl; Wiswell, Phil

PC Magazine, v5, p180(43)

Jan 28, 1986

DOCUMENT TYPE: evaluation LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT

WORD COUNT: 20656 LINE COUNT: 01562

... or insensitive, and backward or forward in any combination. It's an attractive feature of TEXTRA's design.

On TEXTRA's program disk you'll find a file called TXCUSTOM.EXE, which lets you set a variety of defaults. For example, you can preset the search-and-replace switches, the **default drive and directory**, printer settings, and even such details as including file size in the directory listings or highlighting all **files** with the **extension** of .DOC in yellow.

It sounds like you can't go wrong with TEXTRA, but of course you can. TEXTRA uses global left- and right...

19860128

14/3,K/21 (Item 1 from file: 88)
DIALOG(R)File 88:Gale Group Business A.R.T.S.
(c) 2000 The Gale Group. All rts. reserv.

02072722 SUPPLIER NUMBER: 07001823 (USE FORMAT 7 OR 9 FOR FULL TEXT)
PVCS 2.0. (Hardware Review) (Product Watch) (evaluation)
Vallino, Jim
PC Tech Journal, v6, n10, p131(2)
Oct, 1988
DOCUMENT TYPE: evaluation ISSN: 0738-0194 LANGUAGE: English
RECORD TYPE: Fulltext; Abstract
WORD COUNT: 1498 LINE COUNT: 00139

... if it is not specified, the TMP environment variable. The latter feature is not documented in the manuals, but is detected easily when the command-file location is specified on the function command line. The current directory is the default location.

After a function is executed, the menu reverts back to the top-level menu. This is inconvenient since a user often repeats the same...

19881000

14/3,K/22 (Item 1 from file: 141)
DIALOG(R)File 141:Readers Guide
(c) 2000 The HW Wilson Co. All rts. reserv.

03545510 H.W. WILSON RECORD NUMBER: BRGA97045510 (USE FORMAT 7 FOR FULLTEXT)
Undocumented secrets: 101 tips for Windows 95, NT, and 3.x.
AUGMENTED TITLE: cover story
Ryan, Valerie Murray.; Miller, Ben.
PC World (PC World) v. 15 (Mar. '97) p. 121-7+
WORD COUNT: 6296

(USE FORMAT 7 FOR FULLTEXT)

TEXT:

... application, and it may take a bit of looking to figure it out. For instance, in Microsoft Word for Windows, select Tools*Options, click the **File Locations** tab, and modify the Documents option. In Excel, it's again Tools*Options, but you click the General tab and enter the correct path into the Default **File Location** field. In Lotus Approach, you **select File *User Setup*Approach Preferences**, click the General tab, click **Default Directories**, and fill in the information.

81. Data Central, Part 3. If an application doesn't offer a way to change its working directory (folder), try...

1997

14/3,K/23 (Item 1 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2000 The Gale Group. All rts. reserv.

03850611 SUPPLIER NUMBER: 06989210 (USE FORMAT 7 OR 9 FOR FULL TEXT)
More batch file basics.
Dykhuis, Randy
Small Computers in Libraries, v9, n1, p15(3)
Jan, 1989
ISSN: 0275-6722 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT
WORD COUNT: 2019 LINE COUNT: 00148

... to your root directory. . .
cd\

Line 3 is a label that simply marks the beginning of a loop that does the main work of the **file** . The next line **looks** at the first directory name and if nothing is there, skips to the label "finish." The next line changes the **default directory** to the first directory you listed. The DIR command actually displays the **file** ; the / W switch **specifies** the wide format with files displayed in five columns across the screen. SHIFT is a batch file command that shifts each replaceable parameter down one...

19890100

14/3,K/24 (Item 1 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01985452 SUPPLIER NUMBER: 18709496 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Tweaking Web Browsers to get more out of time spent online.(Shareware Shop)
(Software Review)(Evaluation)(Column)
Gralla, Preston
Computer Shopper, v16, n10, p642(2)
Oct, 1996
DOCUMENT TYPE: Evaluation Column ISSN: 0886-0556 LANGUAGE:
English RECORD TYPE: Fulltext; Abstract
WORD COUNT: 2100 LINE COUNT: 00162

... in, so you never have to launch it--it simply jumps into action every time you download a ZIP file via Navigator. The utility downloads **selected files** to a user-defined **default directory** and, if you like, automatically unzips them. (You'll need a copy of PKZip on your hard drive to make this possible.) If you so specify, EZ Download will also run a **virus check** on any **files** you gather from the Net.

Setting up the program is simple. Just specify the folder that will receive downloaded files, the location of PKZip, and...

19961000

14/3,K/25 (Item 2 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01910793 SUPPLIER NUMBER: 18032591 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Fusing your applications to the system through the Windows 95 shell.
(Technology Tutorial)(Tutorial)
Richter, Jeff
Microsoft Systems Journal, v11, n4, p61(9)
April, 1996
DOCUMENT TYPE: Tutorial ISSN: 0889-9932 LANGUAGE: English
RECORD TYPE: Fulltext; Abstract
WORD COUNT: 6860 LINE COUNT: 00549

...ABSTRACT: part series describes how to integrate applications with Microsoft's new Windows 95 and Windows NT Shell Update Release. Windows 95 creates a \Program Files **directory** as the **default** location for applications installed on the system; setup applications should choose a default installation path of \Program Files\ (application name), which users can change if...

...arise when dealing with shared files; how to avoid these problems is discussed. Also described are maintaining settings between invocations, invoking applications automatically, defining data **types** , constructing **documents** with the shell, adding **document -specific** commands to the shell, and enabling printing.

19960400

14/3,K/26 (Item 3 from file: 275)

DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01637935 SUPPLIER NUMBER: 14612306 (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Automatic distribution control. (programs available from comp.sources.unix,
comp.sources.misc, comp.sources.x and comp.sources.games) (On the
Networks) (Column)**
Weinstein, Sydney S.
C Users Journal, v11, n12, p97(5)
Dec, 1993
DOCUMENT TYPE: Column ISSN: 0898-9788 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 3094 LINE COUNT: 00246

... Volume 39, Issues 60-61. PSCMenu is a menu system capable of
executing any UNIX command from the "menu." PSCMenu reads individual menus
from menu **files** located in a "menu" directory. You can edit the menu
files with any editor, since they are simple text files. Through the "menu"
is flexible, the only command line argument PSCMenu accepts is the name of
a directory containing the menu **files**. You **specify** a **default
directory** in the menu header file.

Jeff Kingston [less than jeff@joyce.cs.su.oz.au greater than] made
one of the larger contributions this time...

19931200

14/3,K/27 (Item 4 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01546649 SUPPLIER NUMBER: 12597719 (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Justify capital investments. (using Lotus Development Corp.'s 1-2-3
spreadsheet software for capital budgeting) (Tutorial)**
Nelson, Stephen L.
Lotus, v8, n9, p17(4)
Sept, 1992
DOCUMENT TYPE: Tutorial ISSN: 8756-7334 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2155 LINE COUNT: 00178

... the values (period numbers) in rows 3, 33, 61, 75, 89, and 103.

8. Save the file

To save the template with its formulas intact, **select /File Save**
(Symph: SERVICES File Save), enter a file name that isn't listed in the
default directory, and press Return. In 1-2-3/W **select File Save As,**
type a file name, and press Return or click OK.

19920900

14/3,K/28 (Item 5 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01525971 SUPPLIER NUMBER: 12344990 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Fast indexed help. (developing context-sensitive help files) (Tutorial)
Toft, George
Windows-DOS Developer's Journal, v3, n7, p24(9)
July, 1992
DOCUMENT TYPE: Tutorial ISSN: 1059-2407 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2967 LINE COUNT: 00224

... help and press Enter. The indexing program assumes the file
help.txt is to be indexed, and creates the index file help.idx in the
default directory. Since the program is simple and thoroughly commented,
I will not describe it in detail here. Briefly, the program reads a line

from the **specified help file** , counts its length and adds two (for the carriage return and line-feed characters), adds that value to the total byte count, and outputs the total to the index file. The program's preliminaries **verify** the help file 's existence and open up the help and index files for access.

help.bas contains the following subprograms, which perform the fuctions indicated:

* Display() - Displays...

19920700

14/3,K/29 (Item 6 from file: 275)

DIALOG(R)File 275:Gale Group Computer DB(TM)

(c) 2000 The Gale Group. All rts. reserv.

01469119 SUPPLIER NUMBER: 11585274 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Get a head start on worksheet development; an accountant and 1-2-3 veteran shares his ideas for taking the sweat out of spreadsheeting. (Tutorial)

Schmidt, Walter C.

Lotus, v7, n12, p57(5)

Dec, 1991

DOCUMENT TYPE: Tutorial ISSN: 8756-7334 LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 3266 LINE COUNT: 00248

... range C2..Y2.

E5 @MAX(B3..Y3)

K14 +update

K15 @NOW

K16 @NOW

8. Save the file

To save the template with its formulas intact, **select /File Save** (Symph:SERVICES **File Save**), **type** a file name that isn't already listed in the **default directory** , and press Return.

19911200

14/3,K/30 (Item 7 from file: 275)

DIALOG(R)File 275:Gale Group Computer DB(TM)

(c) 2000 The Gale Group. All rts. reserv.

01458933 SUPPLIER NUMBER: 11500510 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Why take chances? 1-2-3's statistical power can help pinpoint the likelihood of success or failure. (statistical techniques applied to 1-2-3 or Symphony models) (Tutorial)

Conatser, Kelly R.

Lotus, v7, n11, p49(5)

Nov, 1991

DOCUMENT TYPE: Tutorial ISSN: 8756-7334 LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 3622 LINE COUNT: 00293

... r<>succ2,

"****", "")

A20 +" least "&@STRING(r,0)&
" success(es)"

8. Save the file

To save the template with its formulas intact, press slash (Symph: SERVICES), **select File Save**, **type** a file name that isn't already listed in the **default directory** , and press Return.

19911100

14/3,K/31 (Item 8 from file: 275)

DIALOG(R)File 275:Gale Group Computer DB(TM)

(c) 2000 The Gale Group. All rts. reserv.

01454696 SUPPLIER NUMBER: 11440537 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Answers to your questions about Lotus products. (Q&A) (column)

Gasteiger, Daniel

Lotus, v7, n10, p74(4)

Oct, 1991

DOCUMENT TYPE: column ISSN: 8756-7334 LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT

WORD COUNT: 1957 LINE COUNT: 00142

... labels as shown.

Begin each entry with an apostrophe label prefix. Assign the name \0 to cell B1. Make sure that you've chosen a **default directory** and updated the configuration file so that 1-2-3 will know where to **find** the autoloading **file** after you save it. To set a permanent **default directory**, first select/Worksheet Global **Default Directory**, enter a path name, and select Update. Then **select Quit**.

Save this **file** under the name AUTO123. When you load 1-2-3, it automatically retrieves the AUTO123 file and runs the macro named \0. 1-2-3...

19911000

14/3,K/32 (Item 9 from file: 275)

DIALOG(R)File 275:Gale Group Computer DB(TM)

(c) 2000 The Gale Group. All rts. reserv.

01454690 SUPPLIER NUMBER: 11440525 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Grow smart: profit/volume analysis helps you pick the best ways to expand your business. (using Lotus 1-2-3) (tutorial)

Nelson, Stephen L.

Lotus, v7, n10, p38(4)

Oct, 1991

DOCUMENT TYPE: tutorial ISSN: 8756-7334 LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 2185 LINE COUNT: 00164

... D57

Copy range D56..D60 to range E56..I56.

8. Save the file

To save the template with its formulas intact, press slash (Symph: SERVICES), **select File Save, type** a file name that isn't already listed in the **default directory**, and press Return.

19911000

14/3,K/33 (Item 10 from file: 275)

DIALOG(R)File 275:Gale Group Computer DB(TM)

(c) 2000 The Gale Group. All rts. reserv.

01442659 SUPPLIER NUMBER: 11032601 (USE FORMAT 7 OR 9 FOR FULL TEXT)

The fine art of server backup. (includes related articles on what to look for in a tape system, secure workstation-based NetWare backup) (Cover Story)

Corrigan, Patrick H.

LAN Technology, v7, n8, p26(12)

August, 1991

DOCUMENT TYPE: Cover Story ISSN: 1042-4695 LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 7589 LINE COUNT: 00598

... memory management software such as Quarterdeck Office Systems' QEMM.

Another drawback is that MaynStream does not alphabetize files and directories. This makes it difficult to **locate specific files** and

directories . By default, MaynStream's Tape Directory and Catalog Maintenance screens scroll directories nonstop, which makes it impossible to view them. This problem can be solved by starting...

19910800

14/3,K/34 (Item 11 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01427172 SUPPLIER NUMBER: 10567745 (USE FORMAT 7 OR 9 FOR FULL TEXT)
More tips on using Lotus products. (Good Ideas) (column)
Lotus, v7, n4, p68(3)
April, 1991
DOCUMENT TYPE: column ISSN: 8756-7334 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT
WORD COUNT: 2452 LINE COUNT: 00177

... program, all of the File commands default to the subdirectory in which the 1-2-3 program files are stored. If he selects /Worksheet Global **Default Directory**, the **directory** is still A:\. The problem is that he must insert a disk in drive A, **select /File Directory**, and enter A: to get the **File** commands to **look** to drive A.

I don't know if this is a known problem with the software, but it caused us a great deal of frustration...

19910400

14/3,K/35 (Item 12 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01389471 SUPPLIER NUMBER: 08616320 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Cell mates. (file-linking formulas in Lotus Development Corp.'s Lotus 1-2-3 and Symphony) (Help/2.2) (tutorial)
Fielding, Justin; Spera, Jo-Ann
Lotus, v6, n7, p74(3)
July, 1990
DOCUMENT TYPE: tutorial ISSN: 8756-7334 LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 2402 LINE COUNT: 00176

... left-angle brackets (<<) and is immediately followed by the file name. In most applications, the file name should include the drive name, directory name, and **file extension**. If you omit the drive and directory name and you subsequently change the **default directory**, the linking formula will no longer be able to **find** the source **files**. The handful of keystrokes you save by leaving out the drive, directory, and extension could result in errors later on. However, if you move the...

19900700

14/3,K/36 (Item 13 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01258470 SUPPLIER NUMBER: 07155559 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Good ideas: the best reader tips on using Lotus products. (1-2-3, Symphony)
Lotus, v4, n12, p82(4)
Dec, 1988
ISSN: 8756-7334 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT
WORD COUNT: 2616 LINE COUNT: 00185

... the control panel and the full-screen display of file names. (The File Erase and List commands give you a full-screen display of the ltype0

of files you specify .) As you move the cell pointer to highlight each file name in a full-screen display, 1-2-3 shows the date and time the file was created, as well as its size. If the **default directory** lists subdirectories, you can highlight a subdirectory and press Return to get a listing of that subdirectory's files. You can then press the NAME key to toggle between the control panel and a full-screen display of the file names in that subdirectory. To **select a file**, place the cell pointer on the file name and press Return. In 1-2-3 Release 1A, the NAME key will not display a full...

19881200

14/3,K/37 (Item 14 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01246465 SUPPLIER NUMBER: 06958673 (USE FORMAT 7 OR 9 FOR FULL TEXT)
More tips on using Lotus products. (reader tips)
Mattai, Subhadra
Lotus, v4, n9, p98(4)
Sept, 1988
ISSN: 8756-7334 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT
WORD COUNT: 2688 LINE COUNT: 00196

... in the control panel and a full-screen display of file names. (The File List command automatically gives you a full-screen display of the **type of files you specify** .) As you move the cell pointer to highlight each file name in a full-screen display, 1-2-3 displays the date and time the file was created, as well as its size. If the **default directory** lists subdirectories, you can highlight a subdirectory and press Return to get a listing of that subdirectory's files. You can then press the NAME key to toggle between the control panel and a full-screen display of the file names in that subdirectory. To **select a file**, place the cell pointer on the file name and press Return. In 1-2-3 Release 1A the NAME key will not display a full...

19880900

14/3,K/38 (Item 15 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2000 The Gale Group. All rts. reserv.

01207740 SUPPLIER NUMBER: 06168966 (USE FORMAT 7 OR 9 FOR FULL TEXT)
January through June, 1987. (Lotus mid-year index)
Lotus, v3, n7, p141(4)
July, 1987
ISSN: 8756-7334 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT
WORD COUNT: 3182 LINE COUNT: 00241

... and subdirectories, o, Mar, 98 MS OS/2, May, 11 PATH command, o, Jun, 126 reading subdirectories o,s, Mar, 97 RENAME command to change **file extensions**, o, May, 110 renaming directory files, o,s, Apr, 120 SUBST command, o,s, Jun, 119 variable **default directory**, o,s, Apr, 119 see also OPERATING SYSTEMS DRIVERS for HP printers and plotters, Apr, 122 installation, o,s, Jun, 114 for NEC SpinWriter/PinWriter...132 project-management: Project 8,9,10, Apr, 142 tax: EasyTax, Mar, 122; Domestic Relocation Worksheet Gross-Up Procedure, May, 132; Taxtime, May, 133 worksheet **analysis /documentation**: Cambridge Spreadsheet **Analyst**, Cell/Mate, DocuCalc, Spreadsheet Auditor, Jan, 107; Note-It, May, 132 ROUNDING truncating decimals, o,s, Feb, 99 SCANNERS desktop, Jan, 15 SETUP STRINGS C...

...reviews (see REVIEWS, SOFTWARE) word-processing, for 1-2-3, Jan, 22; low-cost, Feb, 22 SOFTWARE LISTINGS multipurpose, Jan 107 tax, Jan, 107 worksheet **analysis /documentation**, Feb, ...finding median and mode, o,s, Apr, 116 parsing captured, s, May, 110 ranking, formula for, o, Feb, 37

WORKSHEET PROTECTION (see DATA SECURITY) WORKSHEETS **analysis / documentation** (see REVIEWS, SOFTWARE) reusing spreadsheet templates, o,s, Mar, 97 spreadsheet layout, o,s, Feb, 46 WORLD OF LOTUS (see INFORMATION SERVICES)

19870700

14/3,K/39 (Item 1 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

01073312 CMP ACCESSION NUMBER: WIN19951121S0043

E-Mail (Tips From The Top)
WINDOWS MAGAZINE, 1995 , n 613, PG172
PUBLICATION DATE: 951121
JOURNAL CODE: WIN LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: Applications
WORD COUNT: 3287

, 1995

... cc:Mail organizes files, such as attachments to mail messages, change it. Click on the User Setup button (the screwdriver), or choose Tools/User Setup. **Select File Locations** from the Preference list box. The Paths list box lets you choose the location to modify. You can choose Remember Last Working Directory or create a permanent **default directory**.

Easing Traffic on the Internet

Inundated with mail from Internet mailing lists? Write a rule that moves all mailing list traffic to a special folder...

14/3,K/40 (Item 2 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

01021099 CMP ACCESSION NUMBER: WIN19940701S0817

How to Get Better CD-ROM Performance @by:David Methvin...
WINDOWS MAGAZINE, 1994 , n 507 , 260
PUBLICATION DATE: 940701
JOURNAL CODE: WIN LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: reviews
WORD COUNT: 477

, 1994

... able to copy some of the executable files to the hard disk manually and then run the program using the CD-ROM drive as the **default directory**. Sometimes the program has an option in its .INI file that lets you specify the **locations** of files ; you may want to experiment with copying data or index files to the hard disk to see whether performance improves. Only you can decide whether...

14/3,K/41 (Item 3 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

00605914 CMP ACCESSION NUMBER: NWC19911001S1313

These Are a Few of My Favorite Things (The Manager)
Diane Danielle
NETWORK COMPUTING, 1991 , n 210 , 108
PUBLICATION DATE: 911001
JOURNAL CODE: NWC LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: Logging Off

, 1991

TEXT:

... you modify an ASCII string in a file. Paired with SWEEP (which lets you repeat a command throughout a directory structure), you can change a **default directory** path in configuration files distributed in hundreds of user directories. LASERLIST will help you save trees by formatting your large text files so that two...

...version of LIST (called LIST ENHANCED), but the shareware version is still available. This browser does everything but bake bricks, and I have yet to find a file too large for it. You can **mark** sections of a file for printing or output to a file, wrap long lines, view a file in HEX or search for a string. The newer versions contain basic...

...calls to ALWAYS.ASD and redirect the calls to a file name contained in an environment variable. But what if you don't know what **files** the program is **looking** for? Enter Monitor, a companion program. Monitor is a TSR that will capture DOS calls to create or open a file. It writes out the...

14/3,K/42 (Item 4 from file: 647)

DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

00522971 CMP ACCESSION NUMBER: WIN19920801S2209

Bargain Tools For File Management

Michael A. Banks

WINDOWS MAGAZINE, 1992 , n 307 , 187

PUBLICATION DATE: 920801

JOURNAL CODE: WIN LANGUAGE: English

RECORD TYPE: Fulltext

SECTION HEADING: Superior Shareware

WORD COUNT: 1551

, 1992

... double-click on the parent or subdirectory name of your choice. To swap source and destination directories, press the +! button in the middle of the **FILEMAN** window.

To find a file based on **filename** and **filename extension** criteria, press the Find button. This brings up a dialog box in which you enter search specifications and initiate the search. The file list is...

14/3,K/43 (Item 5 from file: 647)

DIALOG(R)File 647:CMP Computer Fulltext
(c) 2000 CMP. All rts. reserv.

00520921 CMP ACCESSION NUMBER: WIN19921201S0156

Buying a System - Mail-Order Buyers Be Aware

WINDOWS MAGAZINE, 1992 , n 311 , 144

PUBLICATION DATE: 921201

JOURNAL CODE: WIN LANGUAGE: English

RECORD TYPE: Fulltext

SECTION HEADING: 500 WINDOWS TIPS & TRICKS

WORD COUNT: 40009

, 1992

... give it a unique filename and click on the Save button. Word Processing - WordPerfect 5.1: Set Up a Default Directory

Set up a fixed **default directory** to run WordPerfect from. Each time you want to open up a file, WordPerfect will first look in the directory you worked in last. To set up a fixed **default directory**, **Select File** /Open and deselect the Change Default Dir box. Word Processing - WordPerfect 5.1: Choose Where to Place Files

Set up a default directory for files. **Select File** /Preferences/ **Location of Files** and fill in the boxes where WordPerfect will search for and store files, macros, styles and documents. Word Processing -

WordPerfect 5.1: Edit Existing Button...
?